



OWNERSHIP OF INSTRUMENTS OF SERVICE
All reports, plans, specifications, computer files, field data, notes and other documents and instruments prepared by the Consultant as instruments of service shall remain the property of the Consultant. The Consultant shall retain all common law, statutory and other reserved rights, including, without limitation, the copyright therein.



② PN WATER PLAN - Callout 2
1/2" = 1'-0"



① PN WATER PLAN - Callout 1
1/2" = 1'-0"


KEYED NOTES

- PW03 CONNECT NEW CW PIPING TO EXISTING CW PIPING. EXISTING CW PIPING TO BE MINIMUM 3/4" OR LARGER IN SIZE. CONTRACTOR TO FIELD VERIFY PIPE SIZE, SYSTEM TYPE, PRESSURE & PIPE LOCATION PRIOR TO MAKING CONNECTIONS. IF THE CONDITIONS IN THE FIELD ARE DIFFERENT THAN WHAT IS SHOWN ON THE DRAWINGS, CONTACT ENGINEER OF RECORD IMMEDIATELY.
- PW04 CONNECT NEW HW PIPING TO EXISTING HW PIPING. EXISTING HW PIPING TO BE MINIMUM 3/4" OR LARGER IN SIZE. CONTRACTOR TO FIELD VERIFY PIPE SIZE, SYSTEM TYPE, PRESSURE & PIPE LOCATION PRIOR TO MAKING CONNECTIONS. IF THE CONDITIONS IN THE FIELD ARE DIFFERENT THAN WHAT IS SHOWN ON THE DRAWINGS, CONTACT ENGINEER OF RECORD IMMEDIATELY.
- PW06 REFER TO DETAILS PSD-7 AND PSD-16B ON SHEET P5.1 FOR INSTALLATION OF 3-COMP SINK. (TYPICAL)
- PW15 CONNECT NEW CW PIPING TO EXISTING CW PIPING. CONTRACTOR TO FIELD VERIFY PIPE SIZE, SYSTEM TYPE, PRESSURE & PIPE LOCATION PRIOR TO MAKING CONNECTIONS. IF THE CONDITIONS IN THE FIELD ARE DIFFERENT THAN WHAT IS SHOWN ON THE DRAWINGS, CONTACT ENGINEER OF RECORD IMMEDIATELY.
- PW16 CONNECT NEW HW PIPING TO EXISTING HW PIPING. CONTRACTOR TO FIELD VERIFY PIPE SIZE, SYSTEM TYPE, PRESSURE & PIPE LOCATION PRIOR TO MAKING CONNECTIONS. IF THE CONDITIONS IN THE FIELD ARE DIFFERENT THAN WHAT IS SHOWN ON THE DRAWINGS, CONTACT ENGINEER OF RECORD IMMEDIATELY.
- PW19 REINSTALL EXISTING PLUMBING FIXTURE AT THE SAME LOCATION. RECONNECT EXISTING COLD AND HOT WATER PIPING TO EXISTING PLUMBING FIXTURE. CONTRACTOR TO VERIFY SYSTEM TYPE PRIOR TO MAKING CONNECTIONS.
- PW21 NORMALLY CLOSED VALVE

F.P.E. = 102/02



2" REFERENCE LINE



MECHANICAL/ELECTRICAL ENGINEERS

WWW.KLHENGRS.COM

1538 ALEXANDRIA PIKE, SUITE 11

FT. THOMAS, KENTUCKY 41075

800-354-6783

859-442-8950

859-442-8958 FAX

LEXINGTON, KENTUCKY

LOUISVILLE, KENTUCKY

COLUMBUS, OHIO


NEW YORK, NEW YORK

OWNERSHIP OF INSTRUMENTS OF SERVICE

All reports, plans, specifications, computer files, field data, notes and other documents and instruments prepared by the Consultant as instruments of service shall remain the property of the Consultant. The Consultant shall retain all common law, statutory and other reserved rights, including, without limitation, the copyright therein.



#	Date	Change Description



for THE KROGER COMPANY



300 Spruce Street Phone: (614) 461-4664
Suite 300 Fax: (614) 280-8881
Columbus, Ohio 43215 www.moodynolan.com

Dwg. Coord.: SSM Tech. Coord.: DJT Proj. #: 21701

ENLARGED PLUMBING PLANS - WATER P4.2.1

PERMIT BID 12/10/2019