


OWNERSHIP OF INSTRUMENTS OF SERVICE  
All reports, plans, specifications, computer files, field data, notes and other documents and instruments prepared by the Consultant as instruments of service shall remain the property of the Consultant. The Consultant shall retain all common law, statutory and other reserved rights, including, without limitation, the copyright therein.




1 WASTE AND VENT PLAN  
3/32" = 1'-0"

GENERAL PLUMBING NOTES

- ALL EXISTING CLEANOUTS IN THE SALES AREA ARE TO BE LOWERED AS NECESSARY TO BE FLUSH WITH NEW FLOORING. VERIFY ACCESSIBILITY OF LOWERED CLEANOUTS. CLEANOUT CAPS THAT CANNOT BE REMOVED AS DESIRED ARE TO BE REPLACED WITH NEW IN KIND.
- RECESS ALL DRAINS INSIDE DELI BAKERY AREAS. VERIFY ACCESSIBILITY OF LOWERED DRAINS. DRAINS THAT CANNOT BE RECESSED AS DESIRED ARE TO BE REPLACED WITH NEW IN KIND.
- LOWER ALL DRAINS INSIDE SEAFOOD SERVICE/REP AREA. VERIFY ACCESSIBILITY OF LOWERED DRAINS. DRAINS THAT CANNOT BE LOWERED AS DESIRED ARE TO BE REPLACED WITH NEW IN KIND.

KEYED NOTES

- PS01 CONNECT NEW WASTE PIPING TO EXISTING WASTE PIPING. EXISTING WASTE PIPING TO BE MINIMUM 4" OR LARGER IN SIZE. CONTRACTOR TO FIELD VERIFY PIPE SIZE, SYSTEM TYPE, PIPE INVERT, PIPE LOCATION AND DIRECTION OF FLOW PRIOR TO MAKING CONNECTIONS. IF THE CONDITIONS IN THE FIELD ARE DIFFERENT THAN WHAT IS SHOWN ON THE DRAWINGS, CONTACT ENGINEER OF RECORD IMMEDIATELY.
- PS02 CONNECT NEW VENT PIPING TO EXISTING VENT PIPING. EXISTING PIPING TO BE MINIMUM 2" OR LARGER IN SIZE. CONTRACTOR TO FIELD VERIFY PIPE SIZE, SYSTEM TYPE & PIPE LOCATION PRIOR TO MAKING CONNECTIONS. IF THE CONDITIONS IN THE FIELD ARE DIFFERENT THAN WHAT IS SHOWN ON THE DRAWINGS, CONTACT ENGINEER OF RECORD IMMEDIATELY.
- PS07 NEW HUB DRAIN TO SERVE REFRIGERATED CASES. REFER TO DETAILS PSD-1 AND PSD-1 ON SHEET PS.1 FOR INSTALLATION. (TYPICAL)
- PS08 CONNECT NEW WASTE PIPING TO EXISTING WASTE PIPING. EXISTING WASTE PIPING TO BE MINIMUM 2" OR LARGER IN SIZE. CONTRACTOR TO FIELD VERIFY PIPE SIZE, SYSTEM TYPE, PIPE INVERT, PIPE LOCATION AND DIRECTION OF FLOW PRIOR TO MAKING CONNECTIONS. IF THE CONDITIONS IN THE FIELD ARE DIFFERENT THAN WHAT IS SHOWN ON THE DRAWINGS, CONTACT ENGINEER OF RECORD IMMEDIATELY.
- PS09 TIE THE DRAIN FROM THIS CASE INTO THE DRAIN OF A SIMILAR ADJACENT CASE ABOVE THE SLAB WITH AIR GAP. REFER TO DETAIL PSD-1 ON SHEET PS.1.
- PS10 CONNECT NEW VENT PIPING TO EXISTING VENT PIPING. EXISTING PIPING TO BE MINIMUM 2" OR LARGER IN SIZE. CONTRACTOR TO FIELD VERIFY PIPE SIZE, SYSTEM TYPE & PIPE LOCATION PRIOR TO MAKING CONNECTIONS. IF THE CONDITIONS IN THE FIELD ARE DIFFERENT THAN WHAT IS SHOWN ON THE DRAWINGS, CONTACT ENGINEER OF RECORD IMMEDIATELY.
- PS14 CONNECT NEW VENT PIPING TO EXISTING VENT PIPING NEARBY. EXISTING PIPING TO BE MINIMUM 1 1/2" OR LARGER IN SIZE. CONTRACTOR TO FIELD VERIFY PIPE SIZE, SYSTEM TYPE & PIPE LOCATION PRIOR TO MAKING CONNECTIONS. IF THE CONDITIONS IN THE FIELD ARE DIFFERENT THAN WHAT IS SHOWN ON THE DRAWINGS, CONTACT ENGINEER OF RECORD IMMEDIATELY.
- PS15 REINSTALL EXISTING PLUMBING FIXTURE AT THE SAME LOCATION. RECONNECT EXISTING SANITARY AND VENT PIPING TO EXISTING PLUMBING FIXTURE. CONTRACTOR TO VERIFY SYSTEM TYPE PRIOR TO MAKING CONNECTIONS.
- PS17 NEW HUB DRAIN TO SERVE REFRIGERATED CASES. REFER TO DETAILS PSD-1 ON SHEET PS.1 FOR INSTALLATION. (TYPICAL)



MECHANICAL/ELECTRICAL ENGINEERS  
WWW.KLHENGERS.COM  
1538 ALEXANDRIA PIKE, SUITE 11  
FT. THOMAS, KENTUCKY 41075  
800-354-5783  
859-442-8959 FAX  
LEXINGTON, KENTUCKY  
LOUISVILLE, KENTUCKY  
COLUMBUS, OHIO  
NEW YORK, NEW YORK

OWNERSHIP OF INSTRUMENTS OF SERVICE  
All reports, plans, specifications, computer files, field data, notes and other documents and instruments prepared by the Consultant as instruments of service shall remain the property of the Consultant. The Consultant shall retain all common law, statutory and other reserved rights, including, without limitation, the copyright therein.



#	Date	Change Description

KROGER N273  
WORTHINGTON  
50 WORTHINGTON MALL  
WORTHINGTON, OH 43085  
for  
THE KROGER COMPANY




300 Spruce Street Phone: (614) 461-4664  
Suite 300 Fax: (614) 290-8881  
Columbus, Ohio 43215 www.moodynolan.com

Dwg. Coord.: SSM Tech. Coord.: DJT Proj. #: 21701

WASTE AND VENT PLAN P1.1

PERMIT BID 12/10/2019

P.E. = 107/09



2" REFERENCE LINE