© 2019 Moody-Nolan, Inc.



1 PN WASTE AND VENT PLAN - Callout 1
1/2" = 1'-0"



2 PN WASTE AND VENT PLAN - Callout 2
1/2" = 1'-0"

KEYED NOTES

PS01	CONNECT NEW WASTE PIPING TO EXISTING WASTE PIPING. EXISTING WASTE PIPING TO BE MINIMUM 4" OR LARGER IN SIZE. CONTRACTOR TO FIELD VERIFY PIPE SIZE, SYSTEM TYPE, PIPE INVERT, PIPE LOCATION AND DIRECTION OF FLOW PRIOR TO MAKING CONNECTIONS. IF THE CONDITIONS IN THE FIELD ARE DIFFERENT THAN WHAT IS SHOWN ON THE DRAWINGS, CONTACT ENGINEER OF RECORD IMMEDIATELY.
PS02	CONNECT NEW VENT PIPING TO EXISTING VENT PIPING. EXISTING PIPING TO BE MINIMUM 2" OR LARGER IN SIZE. CONTRACTOR TO FIELD VERIFY PIPE SIZE, SYSTEM TYPE & PIPE LOCATION PRIOR TO MAKING CONNECTIONS. IF THE CONDITIONS IN THE FIELD ARE DIFFERENT THAN WHAT IS SHOWN ON THE DRAWINGS, CONTACT ENGINEER OF RECORD IMMEDIATELY.
PS04	REFER TO DETAILS PSD-5A AND PSD-16B ON SHEET P5.1 FOR INSTALLATION OF 1-COMP SINK. (TYPICAL)
PS05	REFER TO DETAILS PSD-7 AND PSD-16B ON SHEET P5.1 FOR INSTALLATION OF 3 COMP SINK. (TYPICAL)
PS06	CONNECT NEW VENT PIPING TO EXISTING VENT PIPING. EXISTING PIPING TO BE MINIMUM 1 1/2" OR LARGER IN SIZE. CONTRACTOR TO FIELD VERIFY PIPE SIZE, SYSTEM TYPE & PIPE LOCATION PRIOR TO MAKING CONNECTIONS. IF THE CONDITIONS IN THE FIELD ARE DIFFERENT THAN WHAT IS SHOWN ON THE DRAWINGS, CONTACT ENGINEER OF RECORD IMMEDIATELY.
PS07	NEW HUB DRAIN TO SERVE REFRIGERATED CASES. REFER TO DETAILS PSD-1 AND PSD-1 ON SHEET P5.1 FOR INSTALLATION. (TYPICAL)
PS08	CONNECT NEW WASTE PIPING TO EXISTING WASTE PIPING. EXISTING WASTE PIPING TO BE MINIMUM 2" OR LARGER IN SIZE. CONTRACTOR TO FIELD VERIFY PIPE SIZE, SYSTEM TYPE, PIPE INVERT, PIPE LOCATION AND DIRECTION OF FLOW PRIOR TO MAKING CONNECTIONS. IF THE CONDITIONS IN THE FIELD ARE DIFFERENT THAN WHAT IS SHOWN ON THE DRAWINGS, CONTACT ENGINEER OF RECORD IMMEDIATELY.
PS09	TIE THE DRAIN FROM THIS CASE INTO THE DRAIN OF A SIMILAR ADJACENT CASE ABOVE THE SLAB WITH AIR GAP. REFER TO DETAIL PSD-1 ON SHEET P5.1.
PS13	CONNECT NEW WASTE PIPING TO EXISTING WASTE PIPING. EXISTING WASTE PIPING TO BE MINIMUM 3" OR LARGER IN SIZE. CONTRACTOR TO FIELD VERIFY PIPE SIZE, SYSTEM TYPE, PIPE INVERT, PIPE LOCATION AND DIRECTION OF FLOW PRIOR TO MAKING CONNECTIONS. IF THE CONDITIONS IN THE FIELD ARE DIFFERENT THAN WHAT IS SHOWN ON THE DRAWINGS, CONTACT ENGINEER OF RECORD IMMEDIATELY.
PS15	REINSTALL EXISTING PLUMBING FIXTURE AT THE SAME LOCATION. RECONNECT EXISTING SANITARY AND VENT PIPING TO EXISTING PLUMBING FIXTURE. CONTRACTOR TO VERIFY SYSTEM TYPE PRIOR TO MAKING CONNECTIONS.

KLH ENGINEERS
MECHANICAL/ELECTRICAL ENGINEERS
WWW.KLHENGRS.COM
1538 ALEXANDRIA PIKE, SUITE 11
FT. THOMAS, KENTUCKY 41075
800-354-9763
859-442-8050
859-442-8058 FAX
LEXINGTON, KENTUCKY
LOUISVILLE, KENTUCKY
COLUMBUS, OHIO
NEW YORK, NEW YORK

OWNERSHIP OF INSTRUMENTS OF SERVICE
All reports, plans, specifications, computer files, field data, notes and other documents and instruments prepared by the Consultant as instruments of service shall remain the property of the Consultant. The Consultant shall retain all common law, statutory and other reserved rights, including, without limitation, the copyright thereto.

STATE OF OHIO
KRIS T. SCHNITGEN
77432
REGISTERED PROFESSIONAL ENGINEER
12/10/19

#	Date	Change Description

KROGER N273
WORTHINGTON
60 WORTHINGTON MALL
WORTHINGTON, OH 43085
for
THE KROGER COMPANY

MOODY•NOLAN
300 Spruce Street
Suite 300
Columbus, Ohio 43215
Phone: (614) 461-4664
Fax: (614) 280-8881
www.moodynolan.com

Dwg. Coord.: SSM | Tech. Coord.: DJT | Proj #: 21701

ENLARGED PLUMBING PLANS - WASTE AND VENT | **P4.1.1**

PERMIT BID | 12/10/2019

F.F.E. = 100'.00

N

2" REFERENCE LINE