



NOTE:  
REMOVE DRYWALL  
COLUMN RACKS,  
TYPICAL

CABLE IDENTIFIER INDICATES NUMBER OF NEW CABLES  
NOT PACH PANEL PORT. TERMINATE ONTO NEXT  
AVAILABLE PORT TEST AND LABEL TO NEW STANDARD

CABLE IDENTIFIER INDICATES NUMBER OF NEW CABLES  
NOT PATCH PANEL PORT. TERMINATE ONTO NEXT  
AVAILABLE PORT TEST AND LABEL TO NEW STANDARD

WHITE TRIANGLE WITH RED CENTER INDICATE TO REUSE EXISTING SCO CABLES TERMINATE, TEST AND LABEL



NOTE:  
THIS DRAWING IS INTENDED ONLY TO SHOW THE REQUIREMENTS OF THE KROGER CO.  
THE DESIGN OF THE BUILDING TO CONFORM TO ALL APPLICABLE LAWS, CODES,  
REGULATIONS, ORDINANCES AND APPROVAL OF THE INSPECTION AUTHORITIES HAVING  
JURISDICTION IS THE RESPONSIBILITY OF THE ARCHITECT EMPLOYED BY THE OWNER.

4111 EXECUTIVE PARKWAY  
WESTERVILLE, OH  
PHONE: (614) 898-3341  
FAX: (614) 898-3377



**FACILITY ENGINEERING**  
104 VINE ST., CINCINNATI, OHIO 45202  
513/696-3131, 736-6407

44 (010) / 025-7607 FAX (010)

## WITHIN THE WALLS

N-273

60 WORTHINGTON MALL  
WORTHINGTON OH

CURRENT PLAN DATE:  
11/8/2019

ORIGINAL PLAN DATE:  
8/14/2019

DRAWN J EDWARDS	CHECKED D
--------------------	--------------

REVISIONS				


STANDARD PLOTTED SCALE:  
NONE

**BUILDING STATS:**

TOTAL SHELVING	
SALES AREA	3

% OF GROSS BUILDING	
BASE STORE	5

MEZZANINE	
DOCK / UTILITY	

GROSS BUILDING  
57,608 SF

OVERALL STOCK

### OVERALL SITE JACK LOCATION

STEEL PACKAGE ID: Not Applicable

N-273

MEET: **WLO**

# T13

## 11.0

### **WORK AREA LOCATIONS**

▲ ONE (1) CATEGORY 5E, 4-PAIR, UT  
CABLE MOUNTED AT 48" A.F.F.  
UNLESS OTHERWISE NOTED.

△ ONE (1) CATEGORY 5E, 4-PAIR, UT  
CABLE MOUNTED AS REQUIRED.

A2 TWO (2) CATEGORY 5E, 4-PAIR, U

4.2 THREE (3) CATEGORY 5E, 4 PAIR,

THREE (3) CATEGORY 5E, 4-PAIR,  
CABLES MOUNTED AS REQUIRED

$\Delta^4$  FOUR (4) CATEGORY 5E, 4-PAIR, U  
CABLES MOUNTED AS REQUIRED

△<sup>5</sup> FIVE (5) CATEGORY 5E, 4-PAIR, UT  
CABLES MOUNTED AS REQUIRED

**Δ<sup>6</sup>** SIX (5) CATEGORY 5E, 4-PAIR, UTILITY  
CABLES (MINIMUM 12 FEET LONG)

TWO (2) CATEGORY 5E, 4-PAIR, U

**QV** CABLES FOR QUE VISION MONITOR AND THIN CLIENT. (TO BE INSTALLED AND MAINTAINED BY SUBCONTRACTOR)