

General Ceiling Notes

1. ALL ROOF TOP FIXTURES MAY NOT BE SHOWN
2. FOR ROOF TOP CURBS INFORMATION REFER TO ASD-78 AND ASD-88


Coded Notes

05A RELOCATED CONDENSING UNIT - SHOWN IN APPROXIMATE LOCATION
(RELOCATE FROM INSIDE LOCATION ABOVE FREEZER. COORDINATE FINAL
LOCATIONS IN FIELD. NOTIFY ENGINEER IF FINAL LOCATION VARIES BY MORE
THAN 1'-0" IN ANY DIRECTION. SUPPORT UNIT ON STRUCTURAL CURBS
SPANNING ACROSS (2) JOISTS PER ASD-82 OR ASD-82

Shading Legend

☐ NEW WALK PADS TO BE INSTALLED

#	Date	Change Description



**KROGER N273
WORTHINGTON**
30 WORTHINGTON MALL
WORTHINGTON, OH 43085
for
THE KROGER COMPANY



MOODY•NOLAN
300 Spruce Street
Suite 300
Columbus, Ohio 43215
Phone: (614) 461-4664
Fax: (614) 290-8851
www.moodynolan.com

Dwg. Coord.: NLF	Tech. Coord.:	Proj #: 19393
PLAN ROOF PLAN		A1.4
95% OWNER REVIEW		10/29/2019