



1 PREMISE ALARM  
3/32" = 1'-0"



**KEYED NOTES**

ES2 PROVIDE (1) 1" EMPTY CONDUIT BENEATH FLOOR SLAB FOR INTERCONNECTION OF THEFT DETECTION SECURITY EQUIPMENT COMPONENTS. PROVIDE (1) 3/4" EMPTY CONDUIT FROM FIRST (WALL) LOCATION (LOCAL CONTROLLER) UP TO JOST SPACE. PROVIDE (1) 1/2" EMPTY CONDUIT FROM WALL MOUNTED CONTROLLER TO LOCAL FLUSH WALL MOUNTED CONTROL INTERFACE. PROVIDE (1) 3/4" CONDUIT FROM CONTROLLER TO FIRST PEDESTAL AND (1) 1/2" EMPTY CONDUIT FROM FIRST PEDESTAL TO SECOND PEDESTAL. INSTALL CONDUITS BELOW SLAB WHERE APPLICABLE FOR CONCEALED. LOCAL CONTROLLER SHALL BE INSTALLED ON VESTIBULE SIDE OF WALL (ABOVE TILE CEILING), OR AT 6'-0" AT LOCATIONS WHERE THERE IS NO FINISHED CEILING. PROVIDE FLUSH WALL MOUNTED BACKBOXES FOR ALL APPLICABLE EQUIPMENT OUTLETS. FIELD COORDINATE ALL LOCATIONS AND SPECIFICS. SEE DETAIL ESD-S2 AND ESD-S2A ON E-SERIES DRAWINGS. COORDINATE WORK WITH DECOR ELEMENTS AT ALL DOORS IN SALES & VESTIBULE AREAS.




MECHANICAL/ELECTRICAL ENGINEERS  
WWW.KLHENGERS.COM  
1538 ALEXANDRIA PIKE, SUITE 11  
FT. THOMAS, KENTUCKY 41075  
800-354-8783  
859-442-8952  
859-442-8958 FAX  
LEXINGTON, KENTUCKY  
LOUISVILLE, KENTUCKY  
COLUMBUS, OHIO  
NEW YORK, NEW YORK

**OWNERSHIP OF INSTRUMENTS OF SERVICE**  
All reports, plans, specifications, computer files, field data, notes and other documents and instruments prepared by the Consultant as instruments of service shall remain the property of the Consultant. The Consultant shall retain all common law, statutory and other reserved rights, including, without limitation, the copyright therein.



#	Date	Change Description



**MOODY•NOLAN**  
300 Spruce Street  
Suite 300  
Columbus, Ohio 43215  
Phone: (614) 461-4684  
Fax: (614) 280-8881  
www.moodynolan.com

Dwg. Coord: EBA	Tech. Coord: LGF	Proj #: 21701
<b>PREMISE ALARM</b>		<b>ET1.2</b>
<b>PERMIT BID</b>		12/10/2019