


- NOTES:**
- DO NOT USE CASE DRAIN SMALLER THAN THE NOMINAL DIAMETER OF PIPE OR WATER SEAL SUPPLIED WITH THE MERCHANDISER.
 - SLOPE THE CASE DRAIN IN THE DIRECTION OF FLOW 1/4" PER FT.
 - CASE DRAIN MUST BE SUPPORTED NO MORE THAN 24" FROM DRAIN HUB TEE.
 - PROVIDE A SUITABLE AIR BREAK BETWEEN FLOOD RIM OF FLOOR DRAIN AND OUTLET OF CASE DRAIN. AN ALTERNATIVE IS TO CUT THE LAST SECTION OF CASE DRAIN AT AN ANGLE.
 - 3" HUB DRAIN FOR PROJECTS UNDER UNIFORM PLUMBING CODE AND 4" HUB DRAIN FOR PROJECTS UNDER INTERNATIONAL PLUMBING CODE.



CASE DRAIN DETAIL


DATE: 10/11/12

DRAWN: ZAW

PSID-1

ORIGINAL ISSUE DATE 10/11/12

MASTER INSTALLATION DETAIL



- GENERAL NOTES:**
- SLOPE FLOOR TO FLOOR DRAIN AS INDICATED ON CONCRETE PLACEMENT PLAN.
 - REFER TO BUILDING SPECIFICATION SECTION 22 13 00 FOR APPROVED PIPING MATERIAL.
 - REFER TO PLUMBING PLAN FOR LOCATIONS AND SIZES OF DRAINS AND PIPING.
 - TYPICALLY 1" BUT PREFERABLY 1 1/2" IF PERMITTED BY LOCAL PLUMBING INSPECTOR TO FACILITATE CONDENSATE DRAIN INSTALLATION.

CONDENSATE DRAIN DETAIL

DATE: 11/15/17


DRAWN: ZAW

PSD-1

ORIGINAL ISSUE DATE: 2/20/06

MASTER SPECIFICATION DETAIL

- NOTES:**
- UNIT TO BE FURNISHED BY KROGER AND INSTALLED BY CONTRACTOR. SEE SPEC.
 - FOR DRAIN LINES REFER TO BUILDING SPECIFICATION SECTION 22 13 00 FOR APPROVED PIPING MATERIAL.
 - FINAL PLUMBING CONNECTIONS SHALL BE MADE BY THE PLUMBING CONTRACTOR.
 - SEE PLUMBING PLAN FOR LOCATIONS AND SIZES OF DRAINS.
 - 1" MINIMUM AIR GAP OR GREATER WHEN REQUIRED BY LOCAL PLUMBING CODE OR LOCAL HEALTH REGULATIONS.



1-COMPARTMENT SINK


DATE: 11/15/17

DRAWN: ZAW

PSD-5A

ORIGINAL ISSUE DATE 2/20/06

MASTER SPECIFICATION DETAIL



3-COMP UTENSIL WASHING SINK


DATE: 3/19/19

DRAWN: ZAW

PSD-7

ORIGINAL ISSUE DATE 2/20/06

MASTER SPECIFICATION DETAIL



FLOOR SINK WITH DEBRIS BUCKET


DATE: 3/13/12

DRAWN: ZAW

PSD-16B

ORIGINAL ISSUE DATE 2/20/06

MASTER SPECIFICATION DETAIL



HOSE BIB LOCATION AT REFRIGERATED CASE


DATE: 3/31/17

DRAWN: ZAW

PSD-21

ORIGINAL ISSUE DATE 11/12/11

MASTER SPECIFICATION DETAIL



OUTDOOR FLORAL HOSE REEL


DATE: 5/11/15

DRAWN: TMW/ZAW

PSD-107

ORIGINAL ISSUE DATE 3/2/15

MASTER SPECIFICATION DETAIL



CAP AND ABANDON DRAIN DETAIL

NOT TO SCALE

B

OWNERSHIP OF INSTRUMENTS OF SERVICE

All reports, plans, specifications, computer files, field data, notes and other documents and instruments prepared by the Consultant as instruments of service shall remain the property of the Consultant. The Consultant shall retain all common law, statutory and other reserved rights, including, without limitation, the copyright therein.



#	Date	Change Description

Kroger N273
WORTHINGTON
50 WORTHINGTON MALL
WORTHINGTON, OH 43085
for THE KROGER COMPANY

MOODY•NOLAN

300 Spruce Street Phone: (614) 461-4684
Suite 300 Fax: (614) 280-8881
Columbus, Ohio 43215 www.moody-nolan.com

Dwg. Coord: SSM Tech. Coord: DJT Proj. # 21701

PLUMBING STANDARD DETAILS (PSD) **P5.1**

PERMIT BID 12/10/2019