

1 PLAN

SCALE 3/32" = 1'-0"


REFLECTED CEILING



2 PLAN

SCALE 3/32" = 1'-0"

REFLECTED CEILING



General Ceiling Notes

1. ALL EXISTING DIFFUSERS AND ADJACENT CEILING TO BE CLEANED.
2. NEW CEILING TILE IS NOT TO BE PAINTED UNLESS AN AREA OF THE CEILING IS BEING EXPOSED AND ADJACENT CEILING IS PAINTED. PAINT TO MATCH EXISTING.
3. NEW ACOUSTIC CEILING TILE TO BE AC-001 UNLESS NOTED OTHERWISE PER SPECIFICATIONS.
4. INSTALL NEW CEILING GRID TO MATCH EXISTING WHERE EXISTING GRID WAS REMOVED TO INSTALL HVAC.
5. REPLACE SOILED OR DAMAGED CEILING TILES TO MATCH EXISTING SALES AREA OF CEILING TO REMAIN. FOR BIDDING PURPOSES G.C. IS TO ASSUME 200 TILE.
6. PAINT ALL CEILING SPEAKERS TO MATCH ADJACENT CEILING.
7. REMOVE ALL ITEMS REQUIRED FOR NEW WALLS TO GO TO STRUCTURE.
8. REFER TO G1.2 FOR ADDITIONAL SCOPE REQUIREMENTS FOR REPLACEMENT CEILING TILES.

Coded Notes

- 05A NEW SOFFIT  
09B SOFFIT TO BE MODIFIED AS REQUIRED TO NEW HEIGHT AS NOTED.  
09C REFER TO G1.2 FOR THE AMOUNT OF DAMAGED CEILING PADS TO BE REPLACED. EXISTING GRID TO REMAIN

Shading Legend

- EXISTING CEILING GRID PADS TO REMAIN
- LIMITS OF NEW CEILING PADS. REFER TO G1.2 FOR THE AMOUNT OF DAMAGED CEILING PADS TO BE REPLACED. EXISTING GRID TO REMAIN
- LIMITS OF NEW CEILING PADS AND GRID. REFER TO E1.3.1 FOR LIGHTING AND GRID LAYOUT. REFER TO M1.1 FOR HVAC LAYOUT.
- EXISTING STRUCTURE TO BE EXPOSED. WORK TO INCLUDE: GENERAL - REMOVE ANY ABANDONED DUCTS/STUDS/CONDUIT FROM PREVIOUS RENOVATIONS  
DRYWALL - RELOCATE AND RECONSTRUCT EXISTING SOFFITS, EXTENDED DRYWALL TO DECK AND  
DECOR - PAINT SOFFITS TO DECK AND INSTALL NEW GRAPHICS  
PAINT - PAINT CEILING TO MATCH ONLY IF THE EXISTING ADJACENT CEILING IS ALREADY PAINTED
- LIMITS OF NEW STAINLESS STEEL LAY-IN CEILING PANELS. MIN 10" FROM HOOD
- EXTEND EXISTING SOFFIT TO TO THE DECK ABOVE. RELOCATED ALL BRACING TO ACCOMMODATE NEW STUDS / FLOORING / GYPHUM BOARD

General Roof Notes

1. ROOF PATCH AND REPAIR WORK SHALL NOT VIOLATE THE TERMS AND CONDITIONS OF THE EXISTING ROOF WARRANTY.
2. REPAIR AREAS OF ROOF DAMAGED BY INSTALLATION OR REMOVAL OF EQUIPMENT. MATCH EXISTING ROOF CONSTRUCTION. REPLACE AREA OF DAMAGED ROOF DECK. REFER TO MEP DRAWINGS FOR SCOPE.

#	Date	Change Description

KROGER N273  
WORTHINGTON  
30 WORTHINGTON MALL  
WORTHINGTON, OH 43085  
for  
THE KROGER COMPANY

MOODY•NOLAN  
300 Spruce Street  
Suite 300  
Columbus, Ohio 43215  
Phone: (614) 461-4664  
Fax: (614) 290-8851  
www.moodynolan.com

Dwg. Coord.: NLF	Tech. Coord.:	Proj #: 19393
PLAN REFLECTED CEILING	95% OWNER REVIEW	A1.3 10/29/2019