

WORK AREA LOCATIONS

- P — ONE (1) CATEGORY 5E, 4-PAIR, UTP CABLE CEILING MOUNTED FOR WAP PHONE DEVICES
- N — ONE (1) CATEGORY 5E, 4-PAIR, UTP CABLE CEILING MOUNTED FOR WAP NETWORK DEVICES
- A1 — ONE (1) CATEGORY 5E, 4-PAIR, UTP CABLE MOUNTED AT 48" A.F.F. UNLESS OTHERWISE NOTED
- A1 — ONE (1) CATEGORY 5E, 4-PAIR, UTP CABLE MOUNTED AS REQUIRED
- A2 — TWO (2) CATEGORY 5E, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
- A3 — THREE (3) CATEGORY 5E, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
- A4 — FOUR (4) CATEGORY 5E, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
- A5 — FIVE (5) CATEGORY 5E, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
- A6 — SIX (6) CATEGORY 5E, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
- QV — TWO (2) CATEGORY 5E, 4-PAIR, UTP CABLES FOR QUE VISION MONITORS AND THIN CLIENT. (TO BE INSTALLED AND MAINTAINED BY OTHERS)
- W-P GA5A — ONE (1) CATEGORY 6, 4-PAIR, UTP CABLE TERMINATED IN A SINGLE PORT BISCUIT MOUNTED AT CEILING HEIGHT WITH A 20-FOOT SERVICE LOOP FOR ZAP MOUNTING W=WIRELESS AP AT LOCATION Z=ZAP AT LOCATION #=AP SEQUENCE NUMBERING (GA/SA IS FOR KROGER USE ONLY)
- ONE (1) CATEGORY 6, 4-PAIR, UTP CABLE MOUNTED AS REQUIRED FOR A FREEZER WIRELESS ACCESS POINT
- ONE (1) CATEGORY 6, 4-PAIR, UTP CABLE MOUNTED AS REQUIRED FOR AN OUTSIDE WIRELESS ACCESS POINT

MDT INFRASTRUCTURE SOLUTIONS

NOTE:
THIS DRAWING IS WRITTEN ONLY TO SHOW THE REQUIREMENTS OF THE KROGER CO. THE CONTRACTOR IS RESPONSIBLE FOR ALL MEANS, METHODS, TECHNIQUES, SEQUENCES AND PROCEDURES AND FOR COORDINATING ALL PORTIONS OF THE WORK. THE CONTRACTOR SHALL PROVIDE ALL SAFETY PRECAUTIONS AND PROGRAMS IN CONNECTION WITH THE WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DAMAGE TO PROPERTY AND INJURY TO PERSONS RESULTING FROM THE CONTRACTOR'S OPERATIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE SAFETY OF PERSONS AND PROPERTY IN THE VICINITY OF THE WORK. THE CONTRACTOR SHALL COMPLY WITH ALL APPLICABLE LAWS, ORDINANCES, RULES, REGULATIONS, AND LAWFUL ORDERS OF PUBLIC AUTHORITIES BEARING ON THE PERFORMANCE OF THE WORK. THE CONTRACTOR SHALL NOTIFY THE OWNER IMMEDIATELY OF ANY DISCREPANCY BETWEEN THE DRAWINGS AND THE EXISTING CONDITIONS OR OF ANY ERROR, INCONSISTENCY OR OMISSION DISCOVERED IN THE DRAWINGS. THE CONTRACTOR SHALL NOT PROCEED WITH THE WORK IN THE AFFECTED AREA UNTIL THE DISCREPANCY HAS BEEN RESOLVED.

MICHIGAN RE-FRESH FARE
40353 Grand River Avenue
Novi, Michigan
PHONE: (248) 957-2254
FAX: (248) 957-2255

Kroger
GENERAL OFFICE
FACILITY ENGINEERING
PH (513) 762-1407
7243 NE. EXPRESSWAY, NORTH DRIVE
FAX (513) 762-4215

TAKEOVER IFB
D-361
425 NORTH CENTER
NORTHVILLE,MI

CURRENT PLAN DATED: 6/22/2015
ORIGINAL PLAN DATED: 5/22/2015
DRAWN: J. EDWARDS
CHECKED: D. BUSAM
REVISIONS: DB 8/23/2015, DB 8/26/2015
STANDARD PLOTTED SCALE: NONE

BUILDING STATS:

TOTAL SHELVING	1057 LF
SALES AREA (% OF GROSS BUILDING)	23,180 SF 64 %
BASE STORE	33,049 SF
MEZZANINE	962 SF
DOCK / UTILITY	2,386 SF
GROSS BUILDING	36,397 SF

ECR JACK LOCATIONS

STEEL PACKAGE #: Not Applicable

D-361

SHEET: T1.3.1

CAD FILE:

C:\Michigan\D 361\Design D361 T1.1-T1.3 (2).dwg, 9/8/2015 4:08:01 PM, DWF6 ePlot.pc3