

WORK AREA LOCATIONS

- P — ONE (1) CATEGORY 5E, 4-PAIR, UTP CABLE CEILING MOUNTED FOR WAP PHONE DEVICES
- N — ONE (1) CATEGORY 5E, 4-PAIR, UTP CABLE CEILING MOUNTED FOR WAP NETWORK DEVICES
- ▲1 — ONE (1) CATEGORY 5E, 4-PAIR, UTP CABLE MOUNTED AT 48" A.F.F. UNLESS OTHERWISE NOTED
- △1 — ONE (1) CATEGORY 5E, 4-PAIR, UTP CABLE MOUNTED AS REQUIRED
- △2 — TWO (2) CATEGORY 5E, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
- △3 — THREE (3) CATEGORY 5E, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
- △4 — FOUR (4) CATEGORY 5E, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
- △5 — FIVE (5) CATEGORY 5E, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
- △6 — SIX (6) CATEGORY 5E, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
- QV — TWO (2) CATEGORY 5E, 4-PAIR, UTP CABLES FOR QUE VISION MONITORS AND THIN CLIENT. (TO BE INSTALLED AND MAINTAINED BY OTHERS)
- W GA/SA — ONE (1) CATEGORY 6, 4-PAIR, UTP CABLE TERMINATED IN A SINGLE PORT BISCUIT MOUNTED AT CEILING HEIGHT WITH A 20-FOOT SERVICE LOOP FOR ZAP MOUNTING W=WIRELESS AP AT LOCATION Z=ZAP AT LOCATION #=AP SEQUENCE NUMBERING (GA/SA IS FOR KROGER USE ONLY)
- ◇ — ONE (1) CATEGORY 6, 4-PAIR, UTP CABLE MOUNTED AS REQUIRED FOR A FREEZER WIRELESS ACCESS POINT
- △ — ONE (1) CATEGORY 6, 4-PAIR, UTP CABLE MOUNTED AS REQUIRED FOR AN OUTSIDE WIRELESS ACCESS POINT

MDT INFRASTRUCTURE SOLUTIONS

GENERAL OFFICE
FACILITY ENGINEERING
PH (800) 759-1407 FAX (800) 759-4015
PH (800) 759-1407

NOTE:
THIS DRAWING IS INTENDED ONLY TO SHOW THE REQUIREMENTS OF THE KROGER CO. FACILITY ENGINEERING DEPARTMENT. CONTRACTOR TO SUBMIT ALL SHOP DRAWINGS, SPECIFICATIONS, CALCULATIONS, ETC. TO KROGER FACILITY ENGINEERING FOR REVIEW AND APPROVAL. THE REVIEW AND APPROVAL OF THE SHOP DRAWINGS, SPECIFICATIONS, CALCULATIONS, ETC. BY KROGER FACILITY ENGINEERING DOES NOT RELIEVE THE CONTRACTOR OF THE RESPONSIBILITY FOR THE ACCURACY OF THE SHOP DRAWINGS, SPECIFICATIONS, CALCULATIONS, ETC. AND THE CONTRACTOR'S RESPONSIBILITY FOR THE CORRECTNESS OF THE WORK.

MICHIGAN
RE-FRESH FARE

40393 Grand River Avenue
Novi, Michigan
PHONE: (248) 957-2254
FAX: (248) 957-2255

TAKEOVER IFB
D-361
425 NORTH CENTER
NORTHVILLE,MI

CURRENT PLAN DATE: 7/12/15
ORIGINAL PLAN DATE: 5/22/2015
DRAWN: J. EDWARDS
CHECKED: D. BUSAM
REVISIONS: DB 6/23/2015 DB 6/26/2015
STANDARD PLOTTED SCALE: NONE

BUILDING STATS

TOTAL SHELVING	1057 LF
SALES AREA (LIVE GROSS BUILDING)	23,180 SF (ex. 9)
BASE STORE	33,049 SF
MEZZANINE	962 SF
DOCK / UTILITY	2,386 SF
GROSS BUILDING	36,397 SF

P-IDF (PHARMACY)
JACK LOCATIONS

STEEL PACKAGE ID: Not Applicable

D-361

SHEET: T1.3.2

CAD FILE:

C:\Michigan\D 361\Design D361 T1.1-T1.3 (2).dwg, 7/12/2015 4:48:36 PM, DWF6 ePlot.pc3