


SEE GENERAL NOTES ON P5.1
KEYED NOTES

- 1 NEW SANITARY LINE CONNECTION TO NEW 3" HUB DRAIN.
- 2 NEW SANITARY LINE CONNECTION TO NEW 4" CAST IRON FLOOR SINK.
- 3 NEW SAN LINE TO NEW 3" HEAVY DUTY FLOOR DRAIN.
- 4 NEW SAN LINE TO NEW 3" LIGHT DUTY FLOOR DRAIN.
- 5 NEW SAN LINE TO NEW 3" TRENCH DRAIN.
- 6 NEW SANITARY LINE CONNECTION TO NEW 4" FLOOR SINK.
ALL FLOOR SINK TO BE INSTALLED 1" A.F.F.
- 7 NEW SANITARY LINE CONNECTION TO NEW 4" CLEAN OUT.
- 8 NEW VENT LINE CONNECTED TO SAN LINE BELOW SLAB.
- 9 PROVIDE/INSTALL NEW DRAIN PLUMBING FOR NEW 3-COM/1-COMP
SINK. PROVIDE ALL HW, CW, SAN, VENT CONNECTIONS. PIPE ALL
DRAINS PER DETAIL PSD-7B/PSD-5A.
- 10 PROVIDE AND INSTALL NEW GREASE TRAP FOR NEW 3-COMPARTMENT
SINK AND/OR HD AS PER PSD-7B. NEW GREASE INTERCEPTOR
MOUNTED SUCH THAT TOP IS INSTALLED FLUSH WITH FLOOR SLAB.
LOCATE GI UNDER SINK.
- 11 PROVIDE AND INSTALL NEW FUNNEL ON TOP OF OVEN'S FLOOR SINK.
- 12 PROVIDE ALL REQUIRED MATERIALS AND LABOR TO INSTALL NEW HAND
SINK/MOP SINK.
PLUMBER TO CONNECT ALL SAN, VENT, HW/CW AS REQUIRED.
- 13 NEW VALVED 1/2" CW/CFW LINES DN WALL, BELOW SLAB AND UP
BELOW COUNTER TO SERVE ITEM M54-12/MS12HE.
- 14 PROVIDE ALL REQ'D MAT'L'S AND LABOR TO INSTALL NEW LAV SINK.
PLUMBER TO CONNECT ALL NEW SAN, VENT, HW/CW AS REQ'D.
- 15 NEW VALVED 1/2" CW LINE DN CHASE, BELOW SLAB AND UP BELOW
CASE TO SERVE NEW SALAD BAR.
- 16 PROVIDE ALL REQ'D MAT'L'S AND LABOR TO INSTALL NEW WATER CLOSET.
PLUMBER TO CONNECT ALL NEW SAN, VENT, CW AS REQ'D.
- 17 PROVIDE ALL REQ'D MAT'L'S AND LABOR TO INSTALL NEW DRINKING
FOUNTAIN. PLUMBER TO CONNECT ALL NEW SAN, VENT, CW AS REQ'D.
- 18 PROVIDE ALL REQ'D MAT'L'S AND LABOR TO INSTALL NEW EYE WASH
STATION. PLUMBER TO CONNECT ALL NEW SAN, VENT, CW AS REQ'D.
- 19 NEW VALVED 1/2" CW/HW LINES DN WALL, BELOW SLAB AND UP
BELOW COUNTER TO SERVE NEW SINKS.
- 20 PROVIDE ALL REQ'D MAT'L'S AND LABOR TO INSTALL NEW URINAL.
PLUMBER TO CONNECT ALL NEW SAN, VENT, CW AS REQ'D.
- 21 EXTEND NEW 4" CAST IRON SAN PIPE FROM FS-2 TO GI-1.



2 PARTIAL STORM LINE PLAN
SCALE: 3/32"=1'-0"

BELOW SLAB PLUMBING PLAN
SCALE: 3/32" = 1'-0"

BULLETIN NO. 2 BULLETIN NO. 1 ADDENDUM NO. 3 ADDENDUM NO. 2 BIDS & PERMITS 80% OWNER REVIEW		08-17-2015 07-24-2015 07-16-2015 07-14-2015 08-26-2015 08-22-2015
ISSUED FOR: PROPOSED INTERIOR REMODEL FOR: STORE NO. D-361 425 N. CENTER STREET NORTHVILLE, MI 48167 THE KROGER CO. OF MICHIGAN		
 jeffery a. scott architects p.c. 32316 grand river ave. suite 200 farmington, michigan 48336-3261 (248) 476-8800 fax (248) 476-8833		
BELOW SLAB PLUMBING		
project no. 15100	sheet no. P1.1	

copyright © 2015