



WORK AREA LOCATIONS	
P	ONE (1) CATEGORY SE, 4-PAIR, UTP CABLE CEILING MOUNTED FOR WAP PHONE DEVICES
N	ONE (1) CATEGORY SE, 4-PAIR, UTP CABLE CEILING MOUNTED FOR WAP NETWORK DEVICES
▲	ONE (1) CATEGORY SE, 4-PAIR, UTP CABLE MOUNTED AT 48" A.F.F. UNLESS OTHERWISE NOTED
▲1	ONE (1) CATEGORY SE, 4-PAIR, UTP CABLE MOUNTED AS REQUIRED
▲2	TWO (2) CATEGORY SE, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
▲3	THREE (3) CATEGORY SE, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
▲4	FOUR (4) CATEGORY SE, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
▲5	FIVE (5) CATEGORY SE, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
▲6	SIX (6) CATEGORY SE, 4-PAIR, UTP CABLES MOUNTED AS REQUIRED
QV	TWO (2) CATEGORY SE, 4-PAIR, UTP CABLES FOR QUE VISION MONITORS AND THIN CLIENT, (TO BE INSTALLED AND MAINTAINED BY OTHERS)
W	ONE (1) CATEGORY SE, 4-PAIR, UTP CABLE TERMINATED IN A SINGLE PORT BISCUIT MOUNTED AT CEILING HEIGHT WITH A 25-FOOT SERVICE LOOP FOR ZAP MOUNTING
GA	WIRELESS AP AT LOCATION Z-2AP AT LOCATION #4-AP SEQUENCE NUMBERING (GABA IS FOR KROGER USE ONLY)
◆	ONE (1) CATEGORY SE, 4-PAIR, UTP CABLE MOUNTED AS REQUIRED FOR A FREEZER WIRELESS ACCESS POINT
▲	ONE (1) CATEGORY SE, 4-PAIR, UTP CABLE MOUNTED AS REQUIRED FOR AN OUTSIDE WIRELESS ACCESS POINT



MDT
INFRASTRUCTURE SOLUTIONS

40393 Grand River Avenue
Novi, Michigan
PHONE: (248) 957-2254 FAX: (248) 957-2255



GENERAL OFFICE
FACILITY ENGINEERING
5000 W. CROFT AVE. SUITE 200
ANN ARBOR, MI 48106-1500
PH: (734) 762-7000

TAKEOVER IFB
D-361
425 NORTH CENTER
NORTHVILLE, MI

CURRENT PLAN DATE
7/12/15

ORIGINAL PLAN DATE
5/22/2015

DRAWN
J. EDWARDS

CHECKED
D. BUSAM

REVISIONS:

NO.	DATE	DESCRIPTION
1B	6/23/2015	SB 6/28/2015

STANDARD PLOTTED SCALE
NONE

BUILDING STATS:

TOTAL SHELVING	1007 LF
SALES AREA	23,190 SF
SALES AREA	45 SF
SALES STORE	33,049 SF
MEZZANINE	992 SF
DOCK / UTILITY	2,388 SF

GROSS BUILDING
36,397 SF

FE-IDF (FRONT)
JACK LOCATIONS

STREET ADDRESS
Not Applicable

SHEET
D-361
T1.3.3

CAD FILE