



PLUMBING GENERAL NOTES:

1. REFER TO NOTES ON SHEET P5.1.
2. PROVIDE NEW PLUMBING SERVICES TO FIXTURES AS INDICATED ON PLUMBING FIXTURE SCHEDULE (RE: P5.1).
3. WHERE MULTIPLE DRAINAGE FIXTURES ARE SERVED BY A SINGLE HUB DRAIN, PROVIDE CONCENTRIC 4" COUPLING ON HUB OPENING.
4. REFER TO PLUMBING DETAILS ON SHEETS P5.1.



KEYED NOTES:

1. PROVIDE NEW 3" HUB DRAIN PER PSD-1 (RE: P5.1).
2. VERIFY EXACT LOCATION OF EXISTING 3" HUB DRAIN. REUSE FLOOR DRAINAGE FIXTURE FOR NEW OR RELOCATED REFRIGERATED CASE.
3. INSTALL NEW BREAK ROOM SINK IN MILLWORK WITH VALVES AND FITTINGS AS REQUIRED. PROVIDE 1 1/2" DRAIN AND P-TRAP TO CONNECT TO EXISTING SANITARY CONNECTION. PROVIDE NEW HOSES TO CONNECT FAUCET TO EXISTING WATER SUPPLY ROUGH-IN CONNECTIONS. COORDINATE WITH ARCHITECTURAL TRADES.
4. INSTALL NEW COUNTERTOP SINKS. CONNECT TO EXISTING SANITARY AND WATER SUPPLY ROUGH-IN CONNECTIONS. SEE SPECIFICATION 22-42.00 SECTION 2.3 "CONTRACTOR PROVIDED PLUMBING FIXTURES" FOR ACCEPTABLE MANUFACTURERS. REPLACE LAVS WITH ACCESSIBLE FIXTURES WITH BATTERY-POWERED TOUCHLESS FAUCETS, SIMILAR TO EXISTING CONDITIONS.
5. INSTALL RELOCATED FLORAL SINK IN MILLWORK WITH VALVES AND FITTINGS AS REQUIRED. PROVIDE 1 1/2" DRAIN TO 2" SAN UP WITH 1 1/4" AAV ACCESSIBLE BELOW SINK.
6. INSTALL 1-COMP SINK AS PER PSD-5A (RE: P5.1). ROUTE 1 1/2" INDIRECT DRAIN TO FLOOR SINK SHARED WITH ADJACENT 3-COMP SINK.
7. REINSTALL EXISTING 3-COMP CLEANING SINK AS PER PSD-7 (RE: P5.1). REFER TO PSD-16B FOR ASSOCIATED FLOOR SINK INSTALLATION (RE: P5.1).



BIDS AND PERMITS  
12/13/2023  
Issued for: 90% OWNER REVIEW 10/28/2023

PROPOSED MINOR INTERIOR  
REMODEL FOR:

**Kroger**

STORE NO. D-361  
425 N CENTER ST  
NORTHVILLE, MI 48167

THE KROGER CO. OF MICHIGAN

**jeffery a. scott architects p.c.**

32316 grand river ave. suite 200  
farmington, michigan 48336-3261  
(248) 476-8800 fax (248) 476-8833

PLUMBING PLANS

project no. 23101 sheet no. P1.1

copyright © 2023