

TYPICAL TOILET ROOM FIXTURES AND ACCESORIES
SCALE: NONE

BARRIER FREE
SHALL COMPLY
WITH ICC ANSI
A117.1-2009

TOILET ROOM WORK TO BE SCHEDULED IN A MANNER TO MINIMIZE DOWNTIME. COORDINATE W/ STORE MANAGEMENT AND KROGER PROJECT MANAGER. PHASE WORK TO KEEP EXISTING TOILET ROOMS IN OPERATION AT ALL TIMES STORE IS OPEN. MAINTAIN ONE OPEN TOILET ROOM AT ALL TIMES.

AT KROGER PROJECT MANAGER'S DISCRETION, PROVIDE SIGNAGE TO EMPLOYEE TOILET ROOMS DURING WORK OF THE CUSTOMER TOILET ROOMS. EMPLOYEE TOILET ROOMS TO BE REMODELED OR PROFESSIONALLY CLEANED BEFORE DIRECTING CUSTOMERS TO THEM.

TOILET ROOM NOTES:

- KROGER TO PROFESSIONALLY DEEP CLEAN ALL TOILET ROOMS, INCLUDING THE FLOOR, WALLS AND CEILINGS.
- REPLACE EXISTING TOILET PARTITIONS WITH NEW. GENERAL CONTRACTOR TO FIELD VERIFY EXISTING LAYOUT, VERIFY DIMENSIONS, AND MATCH WITH NEW PARTITIONS. SEE "TOILET ROOM FIXTURES AND ACCESSORIES" FOR REQUIRED CLEARANCES.

TOILET ACCESSORIES

(ALL ACCESSORIES SHALL BE ICC ANSI A117.1-2009 COMPLIANT)

KROGER SUPPLIED & CONTRACTOR INSTALLED EQUIPMENT:

- TA-1 SOAP DISPENSER. SEE PSD-50.
- TA-2 TRASH RECEPTACLE
- TA-3 PAPER TOWEL MANUAL "TENSION" DISPENSER.
- TA-4 NOT USED
- TA-5 NOT USED
- TA-6 RECESSED SANITARY NAPKINS DISPENSER, 11 3/4" WIDE X 6 1/2" DEEP X 26 1/8" HIGH. OPTIONALLY INSTALLED PER DIVISION.
- TA-7 JUMBO JR. BATHROOM TISSUE DISPENSER (SMOKE GRAY) 10.610" WIDE X 5.390" DEEP X 11.290" HIGH.
- TA-8 GRAB BARS. SUPPLIED WITH TOILET PARTITIONS.
- TA-9 DIAPER CHANGING STATION, 33.5" WIDE X 3.94" DEEP X 24.75" HIGH
- TA-10 PARTITIONS, TOILET/URINAL (TC-701)
- TA-11 COAT HOOKS ON INTERIOR OF EACH STALL DOOR, PLUS ADDITIONAL HOOKS PER LOCATIONS INDICATED ON PLANS. SUPPLIED WITH TOILET PARTITIONS. INSTALL HOOK 4'-0" ABOVE FLOOR, UNLESS NOTE OTHERWISE.
- TA-12 SANITARY NAPKINS DISPOSAL RECEPTACLE, 7 1/2" WIDE X 3 7/8" DEEP X 10" HIGH.
- TA-13 HOOK & CATCH DOOR HOLDER. PART OF DOOR HARDWARE PACKAGE.
- TA-14 WALL MOUNTED CHILD PROTECTION SEAT.

CONTRACTOR SUPPLIED & INSTALLED EQUIPMENT:


- TA-15 SOLID SURFACE COUNTER TOP, STAINLESS STEEL SINK BOWLS, FAUCETS, ETC. CONTRACTOR SHALL DETERMINE TOP LENGTH PER FIELD CONDITIONS. TRASH CHUTE TRIM RING, 6" DIAMETER X 21" DEEP. SEE PSD-50 FOR COMPLETE INFORMATION.
- TA-16 MIRROR OVER SINK, SPRING LOADED MIRROR CLIPS AT TOP AND BOTTOM TO BE DETERMINED AFTER TILES HAVE BEEN INSTALLED TO WALL. ADA ACCESSIBLE DECAL ON MIRROR AT EACH ADA COMPLIANT SINK LOCATION. SEE PSD-50.
- TA-17 ICC ANSI A117.1 COMPLIANCE RESTROOM SIGNS MOUNTED ON LATCH SIDE OF DOOR 8'-0" FROM FLOOR TO CENTERLINE OF SIGN.
- TA-18 PLUMBING FIXTURES -- TOILETS, URINALS, DRINKING FOUNTAINS.
- TA-19 36" WIDE X 72" HIGH WALL MIRROR. MIRRORS TO BE INSTALLED AFTER TILES HAVE BEEN APPLIED TO WALL.
- TA-20 ELECTRIC HAND DRYER DYSON AIRBLADE V. REFER TO SECTION 10 28 13 TOILET ACCESSORIES IN SPECIFICATIONS (BY KROGER)
- TA-21 TRASH RECEPTACLE (WALL MOUNTED), 16 1/2" WIDE X 12 1/2" DEEP X 23" HIGH

(SEE PROJECT SPECIFICATIONS, PLUMBING DRAWINGS, & DRAWING REF-4 & REF-4A - RESTROOMS STANDARDS WITH ELEVATIONS (BY KROGER) FOR ADDITIONAL INFORMATION)

- SEE GENERAL NOTES ON SHEET A1.1
- SEE SHEET 11.4 FOR FINISHES DECOR, MILLWORK, & FIXTURE / CASE NOTES.

PARTITION KEY

EXISTING WALL EXISTING SOFFIT
NEW WALL NEW SOFFIT



TOILET ROOMS ENLARGED FLOOR PLAN
SCALE: 1/4" = 1'-0"

BIDS AND PERMITS 12/13/2023
issued for: 90% OWNER REVIEW 10/28/2023

PROPOSED MINOR INTERIOR REMODEL FOR:



STORE NO. D-361
425 N CENTER ST
NORTHVILLE, MI 48167

THE KROGER CO. OF MICHIGAN



32316 grand river ave. suite 200
farmington, michigan 48336-3261
(248) 476-8800 fax (248) 476-8833

ENLARGED PLANS, DETAILS, NOTES

project no. sheet no.

23101 A4.1