




7 SANITARY & VENT ENLARGED PLAN  
P41 SCALE: 3/16" = 1'-0"



8 DOMESTIC WATER ENLARGED PLAN  
P41 SCALE: 3/16" = 1'-0"




9 SANITARY & VENT ENLARGED PLAN  
P41 SCALE: 3/16" = 1'-0"




10 DOMESTIC WATER ENLARGED PLAN  
P41 SCALE: 3/16" = 1'-0"

### SANITARY & VENT KEYED NOTES:


- 61 PROVIDE NEW 3" HUB DRAIN PER PSD-1 (RE: P5.1).
- 62 INSTALL NEW BREAK ROOM SINK IN MILLWORK WITH VALVES AND FITTINGS AS REQUIRED. PROVIDE 1 1/2" DRAIN AND P-TRAP TO CONNECT TO NEW SANITARY CONNECTION. PROVIDE 1 1/2" VENT DOWN IN WALL. CONNECT TO NEAREST EXISTING PLUMBING VENT PIPING. COORDINATE WITH ARCHITECTURAL TRADES.
- 63 INSTALL 1-COMP SINK PER PSD-5A (RE: P5.1). ROUTE 1 1/2" INDIRECT DRAIN TO NEW FLOOR SINK. INSTALL FLOOR SINK PER PSD-16B (RE: 5.1).
- 64 INSTALL FLORAL SINK IN MILLWORK WITH VALVES AND FITTINGS AS REQUIRED. PROVIDE 1 1/2" DRAIN TO 2" SAN UP IN HALF WALL. PROVIDE 2" VENT IN HALF WALL DOWN FROM NEW CHASE.
- 65 2" VENT DOWN IN NEW CHASE. CONNECT TO NEAREST EXISTING PLUMBING VENT PIPING. VERIFY EXACT LOACTION IN FIELD.
- 66 PROVIDE 1 1/2" VENT LINE UNDERGROUND TO WALL. ROUTE (2) 1 1/2" VENTS DOWN IN WALL. CONNECT TO NEAREST EXISTING PLUMBING VENT PIPING. VERIFY EXACT LOCATION IN FIELD.
- 67 MODIFY ANY UNDERGROUND SANITARY LINES SERVICING (E) HANDSINK & (E) G1 AS NECESSARY TO ACCOMMODATE NEW SANITARY LINES FOR RELOCATED 1-COMP & NEW GREASE INTERCEPTOR.
- 68 INSTALL HAND SINK WITH FITTINGS AS REQUIRED. PROVIDE 1 1/2" DRAIN TO 2" SAN UP AND 1 1/2" V DN.
- 69 INSTALL 1-COMP SEAFOOD PREP SINK PER PSD-5A (RE: P5.1). ROUTE 1 1/2" INDIRECT DRAIN TO NEW FLOOR SINK. INSTALL FLOOR SINK PER PSD-16B (RE: 5.1).




1 SANITARY & VENT ENLARGED PLAN  
P41 SCALE: 3/16" = 1'-0"




2 DOMESTIC WATER ENLARGED PLAN  
P41 SCALE: 3/16" = 1'-0"




3 SANITARY & VENT ENLARGED PLAN  
P41 SCALE: 3/16" = 1'-0"



4 DOMESTIC WATER ENLARGED PLAN  
P41 SCALE: 3/16" = 1'-0"



5 SANITARY & VENT ENLARGED PLAN  
P41 SCALE: 3/16" = 1'-0"



6 DOMESTIC WATER ENLARGED PLAN  
P41 SCALE: 3/16" = 1'-0"

### DOMESTIC WATER KEYED NOTES:

- 61 PROVIDE 1/2" FW FROM NEW RO SYSYTEM IN BACK NEAR ICE MACHINE. ROUTE IN OPEN CEILING TIGHT TO EXISTING STRUCTURE TO DROP DOWN IN WALL TO PRODUCE MISTER.
- 62 INSTALL BREAK ROOM SINK IN MILLWORK WITH VALVES AND FITTINGS AS REQUIRED. COORDINATE WITH ARCHITECTURAL TRADES.
- 63 INSTALL 1-COMP SINK PER PSD-5A (RE: P5.1).
- 64 INSTALL FLORAL SINK IN MILLWORK WITH VALVES AND FITTINGS AS REQUIRED. COORDINATE WITH ARCHITECTURAL TRADES.
- 65 1/2" HW & 1/2" CW DOWN TO FLORAL IN NEW PVC CHASE PAINTED TO MATCH COLUMNS. ROUTE LINES WITHIN MILWORK TO FLORAL SINK.
- 66 RELOCATE BALANCING VALVE, TIMER, AND/OR AQUASTAT FROM PREVIOUS FLORAL DROP. SET TO 100 DEG F FOR HWR LINE.
- 67 LOCATE NEW COLD WATER HOSE BIBB BELOW FLORAL SINK.
- 68 MOUNT NEW COLD WATER HOSE BIBB 18" AFF. CONNECT 3/4" HOSE TO PROPORTIONER.
- 69 INSTALL HAND SINK WITH VALVES AND FITTINGS AS REQUIRED. PROVIDE NEW 1/2" CW AND 1/2" HW CONNECTION FROM DROPS SERVING EXISTING HAND SINK ON OPPOSITE SIDE OF WALL. INSTALL EYEWASH WITH MIXING VALVE PER ASSE 1070.
- 610 INSTALL 1-COMP SEAFOOD PREP SINK PER PSD-5S (RE: P5.1).

|   |                         |
|---|-------------------------|
| BIDS AND PERMITS<br>90% OWNER REVIEW<br>03/13/2024<br>02/08/2024  |                         |
| PROPOSED MINOR INTERIOR<br>REMODEL FOR:<br><br>STORE NO. D-365<br>3615 WASHTENAW AVE<br>ANN ARBOR, MI 48104<br>THE KROGER CO. OF MICHIGAN |                         |
| <br>jeffery a.<br>scott<br>architects p.c.  |                         |
| 32316 grand river ave. suite 200<br>farmington, michigan 48336-3261<br>(248) 476-8800 fax (248) 476-8833                                  |                         |
| ENLARGED PLUMBING PLAN  |                         |
| project no.<br><b>23058</b>   | sheet no.<br><b>P41</b> |

copyright © 2024