



529 CONTROL JOINT DETAIL  
A12 SCALE: NONE

NOTES:  
1. SEE SHEET A12 FOR CONCRETE REMOVAL AND REPLACEMENT PLAN.




525 DEMOLITION OF REFRIGERATION PIT DETAIL  
A12 NO SCALE



521 REFRIGERATION PIPE MOUNTING DETAIL  
A11 NO SCALE

ROOFING GENERAL NOTES:

1. THE EXISTING ROOF IS TO REMAIN. PORTIONS OF THE ROOF TO BE PATCHED & REPAIRED OR REWORKED AS REQUIRED DUE TO ANY DEMOLITION, REMOVAL OF EXISTING ITEMS, ANY NEW CONSTRUCTION, AND INSTALLATION OF NEW ITEMS. MATCH EXISTING ROOFING MATERIAL (IE MEMBRANE, INSULATION, STEEL DECKING) AND PROVIDE NEW MATERIAL AS REQUIRED TO PATCH / REPAIR ROOF AND MATCH EXISTING SLOPE.
2. COORDINATE ANY NEW ROOF WORK WITH FLOOR PLANS, STRUCTURAL, MECHANICAL, PLUMBING, & ELECTRICAL DRAWINGS. COORDINATE NEW WORK AND DEMOLITION WORK WITH INTERIOR WORK AND THE PHASING PLAN.
3. FLASH & SEAL ALL NEW ROOF PENETRATIONS PER PROJECT SPECIFICATIONS AND ROOF MANUFACTURERS REQUIREMENTS.
4. ALL ROOF WORK TO BE PERFORMED BY A QUALIFIED ROOFING CONTRACTOR PER ROOF MANUFACTURERS STANDARDS AND TYPICAL INDUSTRY STANDARDS. CONTRACTOR TO MAINTAIN EXISTING FIRESTONE ROOF WARRANTY & INTEGRITY. ALL ROOF WORK TO BE DONE TO BE PER ROOF MANUFACTURERS STANDARDS.
5. REMOVE ALL EXISTING ITEMS NOT REUSED. PATCH/REPAIR ROOF AS REQUIRED BY MANUFACTURER TO MAINTAIN ROOF WARRANTY.
6. PROVIDE OPENINGS THRU ROOF FOR NEW VENT PIPES AS REQUIRED. SEE PLUMBING DRAWINGS & SPECS. SEE DETAIL 527, THIS SHEET, FOR TYPICAL DETAIL.



527 TYP. PIPING OR VENT FLASHING DETAIL  
A52 NO SCALE

BIDS AND PERMITS

01/31/2024

ISSUED FOR:

80% OWNER REVIEW

10/23/2023

PROPOSED MINOR INTERIOR REMODEL FOR:



STORE NO. D-409  
12731 S SAGINAW ST  
GRAND BLANC, MI 48439

THE KROGER CO. OF MICHIGAN



jeffery a. scott architects p.c.

32316 grand river ave. suite 200  
farmington, michigan 48336-3261  
(248) 476-8800 fax (248) 476-8833

partition types, details & notes

project no. 23042 sheet no. A5.2

copyright © 2024

plot full size • 30"x42"