

Floor to Floor Installation:

Trench Installation:

Notes:

IF ANY SIDE OF TRENCH IS 1'-0" or LESS, AWAY FROM CONTROL JOINT or CONSTRUCTION JOINT, SAWCUT AND REMOVE SLAB TO THE JOINT.

DO NOT CROSS CUT.

CONCRETE FLOOR REPLACEMENT AT EXISTING SLAB	DATE: 11/10/11 SCALE: NONE DRAWN: ZAW
MASTER SPECIFICATION DETAIL	ASD-69

ORIGINAL ISSUE DATE 10/1/09



NOTES:

1. WHERE SALES AREA COLUMNS ARE NOT CONCEALED BY SHELVING OR EQUIPMENT, THEY MUST BE WRAPPED WITH 20 GAUGE STAINLESS STEEL TO MATCH HEIGHT OF EXISTING WRAPPED COLUMNS.
2. VERIFY ALL COLUMN LOCATIONS AND HEIGHTS WITH KROGER PROJECT MANAGER.
3. RUN CONTINOUS BEAD OF SILICONE SEALANT AROUND TOP AND BOTTOM EDGES OF STAINLESS STEEL (AFTER INSTALLATION).

S.S. COLUMN COVERING DETAIL	DATE: 11/10/11 SCALE: NONE DRAWN: ZAW
MASTER SPECIFICATION DETAIL	ASD-63

ORIGINAL ISSUE DATE 2/20/06



DOUBLE ACTING DOOR FRAME AT STUD PARTITION	DATE: 8/7/13 SCALE: NONE DRAWN: ZAW
MASTER SPECIFICATION DETAIL	ASD-56

ORIGINAL ISSUE DATE 6/18/09



NOTICE:

1. REMOVE ALL SHARP CORNERS.
2. ADHERE STAINLESS STEEL TO WALL WITH CLEAR SILICONE SEALANT, TOP AND BOTTOM.
3. REFERENCE ROOM FINISH SCHEDULE FOR BASE TYPE TO BE USED.
4. 20 GA. 304 STAINLESS STEEL CORNER GUARD.

STAINLESS STEEL CORNER GUARD	DATE: 7/29/13 SCALE: NONE DRAWN: TMW
MASTER SPECIFICATION DETAIL	ASD-55A

ORIGINAL ISSUE DATE 7/29/13



Notes:

1. DOOR & FRAME SIZES VARY BASED ON USAGE, REFER TO PLANS FOR SIZES.
2. THERMOMETER & LIGHT SWITCH ARE SUPPLIED INSTALLED BY MANUFACTURER IN COOLER DOOR SECTION. ELECTRICAL CONTRACTOR TO REMOVE FROM DOOR SECTION, RE-INSTALL IN STUD PARTITION AND REWIRE TO COOLER. PROVIDE ADDITIONAL JUNCTION BOX AS REQUIRED.
3. THERMOMETER & LIGHT SWITCH LOCATIONS.
   DOUBLE DOORS -- EITHER SIDE WHICHEVER IS MOST PRACTICAL.
   SINGLE DOOR -- ON OPENING SIDE OF DOOR.
4. GALVANIZED FRAME IS INTEGRAL WITH THE DOOR OPENING AND IS SUPPLIED WITH THE INSULATED METAL PANELS.

PARTITION TO INSULATED PANEL AT DOUBLE ACTING INSUL. DRS.	DATE: 11/5/13 SCALE: NONE DRAWN: ZAW
MASTER SPECIFICATION DETAIL	ASD-55

ORIGINAL ISSUE DATE 3/20/08



WALL TO FLOOR BASE TYPE-D	DATE: 11/7/13 SCALE: NONE DRAWN: ZAW
MASTER SPECIFICATION DETAIL	ASD-51D

ORIGINAL ISSUE DATE 1/30/09



NOTES:

1. FINISHED FLOOR WILL VARY DEPENDING ON APPLICATION -- CONCRETE, RESINOUS or TILING.
2. PROVIDE ADDITIONAL 3/8" MATERIAL 3" FROM COVE BASE. RESINOUS FLOOR MUST MEET TOP EDGE OF COVE BASE.

TYPICAL LOCATIONS:
- WASH DOWN AREAS
- PREP. AREAS AT WALLS WITHOUT CURBS

WALL TO FLOOR BASE TYPE-C	DATE: 5/4/20 SCALE: NONE DRAWN: KAP
MASTER SPECIFICATION DETAIL	ASD-51C

ORIGINAL ISSUE DATE 1/30/09



INSTALLATION INSTRUCTIONS:

1. CORE DRILL 2 1/4" DIAMETER HOLE, 4" MIN. DEEP. DEPENDING UPON THE SIZE OF THE CORE DRILLED HOLE, POUR A SMALL AMOUNT OF EPOXY IN THE HOLE, THEN INSERT SOCKET, FILLING IN WITH EPOXY AS NEEDED. INSERT POST IN TO SOCKET AND PROP UP IN VERTICAL POSITION UNTIL EPOXY SETS. IF A LARGER DIAMETER HOLE IS MADE (MAXIMUM 3") POUR STONE MAY BE USED TO SECURE SOCKET IN PLACE.

Note:

Installation Instructions From National Cart Co. For NATIONAL CART 50150004 REMOVABLE POST.

REMOVABLE PROTECTIVE POST INSTALLATION	DATE: 5/24/16 SCALE: NONE DRAWN: ZAW
MASTER SPECIFICATION DETAIL	ASD-19

ORIGINAL ISSUE DATE XX/XX/16



NOTE:

REFER TO SPECIFICATIONS SECTION 09 65 13.

CARPET TRANSITION DETAILS	DATE: 7/13/16 SCALE: NONE DRAWN: ZAW
MASTER SPECIFICATION DETAIL	ASD-4E

ORIGINAL ISSUE DATE 7/29/13



Note:

REFER TO SPECIFICATIONS FOR PRODUCTS.

TILE TRANSITION DETAILS	DATE: 12/15/23 SCALE: NONE DRAWN: KAP
MASTER SPECIFICATION DETAIL	ASD-4D

ORIGINAL ISSUE DATE 11/10/11



NOTE:

REFER TO SPECIFICATIONS SECTION 09 65 13.

TRANSITION DETAILS	DATE: 7/13/16 SCALE: NONE DRAWN: ZAW
MASTER SPECIFICATION DETAIL	ASD-4B

ORIGINAL ISSUE DATE 11/10/11

- FOR REFERENCE ONLY -

issued for: BIDS AND PERMITS 01/31/2024
90% OWNER REVIEW 10/23/2023

PROPOSED MINOR INTERIOR REMODEL FOR:

Kroger

STORE NO. D-409

12731 S SAGINAW ST
GRAND BLANC, MI 48439

THE KROGER CO. OF MICHIGAN

jeffery a. scott architects p.c.
32316 grand river ave. suite 200
farmington, michigan 48336-3261
(248) 476-8800 fax (248) 476-8833

KROGER ASDs

project no. 23042

sheet no. A5.1.1

PLOT FULL SIZE @ 30"x42"

copyright © 2024