© 2021 Moody•Nolan, Inc.





2 PLAN
SCALE 3/32" = 1'-0"
REFLECTED CEILING
0 4 8 16
N

1 PLAN
SCALE 3/32" = 1'-0"
REFLECTED CEILING
0 4 8 16
N

General Ceiling Notes

1. ALL EXISTING DIFFUSERS AND ADJACENT CEILING TO BE CLEANED.
2. NEW CEILING TILE IS NOT TO BE PAINTED UNLESS AN AREA OF THE CEILING IS BEING EXPOSED AND ADJACENT CEILING IS PAINTED. PAINT TO MATCH EXISTING.
3. NEW ACOUSTIC CEILING TILE TO BE AC-001 UNLESS NOTED OTHERWISE PER SPECIFICATIONS.
4. INSTALL NEW CEILING GRID TO MATCH EXISTING WHERE EXISTING GRID WAS REMOVED TO INSTALL HVAC.
5. REPLACE SOILED OR DAMAGED CEILING TILES TO MATCH EXISTING IN AREAS OF CEILING TO REMAIN. FOR BIDDING PURPOSES G.C. IS TO ASSUME 250 TILE.
6. REMOVE ALL ITEMS REQUIRED FOR NEW WALLS TO GO TO STRUCTURE.
7. CONTRACTOR TO DISCONNECT AND REINSTALL LIGHTS, AS REQUIRED IN AREAS WHERE CEILING NEEDS TO BE REMOVED FOR ACCESS TO NEW/RELOCATED DUCTWORK.

Shading Legend

- EXISTING CEILING GRID/PADS TO REMAIN
- LIMITS OF NEW CEILING PADS. EXISTING GRID TO REMAIN.REFER TO GENERAL SCOPE OF WORK ADDITIONAL SCOPE.
- LIMITS OF NEW CEILING PADS AND GRID. REFER TO E1.5.1 FOR LIGHTING AND GRID LAYOUT. REFER TO M1.1 FOR HVAC LAYOUT.
- LIMITS OF CEILING TO RECEIVE NEW PAINT
- LIMITS OF NEW STAINLESS STEEL LAY-IN CEILING PANELS. MIN 18" FROM HOOD

General Roof Notes

1. ROOF PATCH AND REPAIR WORK SHALL NOT VIOLATE THE TERMS AND CONDITIONS OF THE EXISTING ROOF WARRANTY.
2. REPAIR AREAS OF ROOF DAMAGED BY INSTALLATION OR REMOVAL OF EQUIPMENT. MATCH EXISTING ROOF CONSTRUCTION. REPLACE AREA OF DAMAGED ROOF DECK. REFER TO MEP DRAWINGS FOR SCOPE.

#	Date	Change Description

KROGER N641
PORT CLINTON
2028 EAST HARBOR ROAD
PORT CLINTON, OHIO 43452
for
THE KROGER COMPANY

Moody Nolan
300 Spruce Street
Suite 300
Columbus, Ohio 43215
Phone: (614) 461-4664
Fax: (614) 280-8881
www.moodynolan.com

Dwg. Coord.: JWB | Tech. Coord.: | Proj #: 23016.01

PLAN
REFLECTED CEILING

A1.3

BID/PERMIT | 2/2/2024

PLOTTED BY: $USER$ $DATE$ $TIME$ $FILE$