

OWNERSHIP OF INSTRUMENTS OF SERVICE

All reports, plans, specifications, computer files, field data, notes and other documents and instruments prepared by the Consultant as instruments of service shall remain the property of the Consultant. The Consultant shall retain all common law, statutory and other reserved rights, including, without limitation, the copyright therein.

KEYED NOTES


ADDITIONAL LIGHTING SCOPE

E.G. TO FIELD VERIFY SCOPE OUTLINED BELOW PRIOR TO BID.

- A. GO TO CLEAN LIGHT LENSES OVER BAKERY, DELI AND MEAT/SEAFOOD CASES.
B. REPLACE LIGHT LENSES IN DELI, MEAT, AND SEAFOOD PREP AREAS.
C. ADD (6) LIGHTS ABOVE DELI ISLANDS.
D. NEW TRACK LIGHT FIXTURES TO BE INSTALLED FOR THE FOLLOWING:
a. LIQUOR SIGNAGE.
b. CHOICE CUTS SIGNAGE (MEAT PREP)
c. ANY NEW DECOR SIGNAGE.
E. ADD (1) ADDITIONAL LUMINAIRE TO PHARMACY WAITING AREA.
F. VESTIBULE LIGHTING TO BE CHANGED TO PRISMATIC LENSES.
G. CLEAN AND RELAMP EXISTING EXTERIOR CANOPY LIGHTING.
H. ALL WASH FIXTURES IN CEILING ARE EXISTING TO REMAIN.

GENERAL LIGHTING NOTES

- A. ALL FLUORESCENT LAMPS SHALL BE 3500 K, FURNISHED BY KROGER UNLESS NOTED OTHERWISE.
B. DO NOT ATTACH ANY CONDUITS OR SUSPEND ANY LIGHTING FROM ROOF DECK.
C. PROVIDE PROTECTIVE CLEAR SAFETY SHIELDS FOR ALL EXPOSED FLUORESCENT LAMPS IN FOOD PREP AREAS AND AREAS WITH UNWRAPPED FOODS, INCLUDING PRODUCE SALES (SEE SPECIFICATIONS).
D. PROVIDE LIGHT SENSOR CONTROL FOR ALL EXTERIOR LIGHTING AND SIGN CIRCUITS. SEE CONTRACTOR SCHEDULES ON E6-SERIES DRAWINGS AND DETAILS(S) ON E5-SERIES DRAWINGS.
E. KROGER SHALL FURNISH ALL LUMINAIRES AND LAMPS. SEE SPECIFICATIONS.
F. REFER TO THE E5-SERIES DRAWINGS FOR ALL LIGHTING DETAILS CONCERNING LUMINAIRE MOUNTING, WIRING DETAILS, AND OTHER ADDITIONAL INFORMATION.
G. ALL CONDUITS FOR PREP ROOM LIGHTING SHALL BE RUN ON TOP OF INSULATED ROOF PANEL AND STUBBED THRU PANEL INTO LUMINAIRE AT EACH LUMINAIRE LOCATION. REFER TO ESD-26 ON E5-SERIES DRAWINGS.



① LIGHTING PLAN AND DETAILS
3/32" = 1'-0"



#	Date	Change Description

KROGER N641



2028 E HARBOR RD
PORT CLINTON, OH 43452
for
THE KROGER COMPANY

MOODY•NOLAN

300 Spruce Street
Suite 300
Columbus, Ohio 43215

Phone: (614) 461-4684
Fax: (614) 290-8881
www.moodynolan.com

Dwg. Coord.: CJC Tech. Coord.: JAT Proj. #: 25835.00

LIGHTING PLAN AND DETAILS

E.1

BID/PERMIT

12/13/2023