


STORE: KROGER  
LOCATION: MURRAY'S CHEESE

DWG. #  
01636-8-D

# IM-04-I4-FX2272

## COUNTER-LENGTH BASE



**DOE 2017**  
Energy Efficiency  
Compliant

**WARNING:** Please Note that the fixture depicted is a visual concept only and may be subject to performance testing, extended lead-times, and special pricing. **Please contact the Hussmann Chino Factory for Further Information.**

REVISIONS	DATE	BY
▲ LIFT UP SNEEZE GLASS	03/29/23	KM
▲ INLINE SNEEZE GLASS	04/05/23	KM
▲ FINISH CHANGES	04/11/23	KM
▲ PLAN VIEW	04/26/23	KM
▲		
▲		

CASE DESCRIPTION: ISLA 3-WELL OLIVE COUNTER  
APPROVAL DATE:  
APPROVED BY:

DATE: 03/22/23  
SCALE:  
DRAWN BY: KM  
SALES PERSON: ART SHORT

**HUSSmann®**

LIC. #644406 Hussmann Corporation (909) 590-4910  
13770 Ramona Avenue  
Chino, CA 91710

STORE: KROGER  
LOCATION: MURRAY'S CHEESE

DWG. #  
01636-8-D

# IM-04-I4-FX2272

## COUNTER-LENGTH BASE

POST COLOR:  
STAINLESS STEEL (STD)

CANOPY LED  
LIGHTING

SELF-SERVICE SNEEZEGUARD  
LIFT-UP TEMPERED GLASS  
1.5" POST MOUNTED

UPPER REAR EXTERIOR FINISH:  
BLACK

1/4" END WING  
MOUNTED IN  
STAINLESS STEEL  
U-CHANNEL  
(BOTH SIDES)

EXTERIOR REAR FINISH:  
057 PANTONE 200  
(MURRAY'S RED)

(2) 2" CHAMFER  
CORNERS

EXTERIOR FINISH:  
057 PANTONE 200  
(MURRAY'S RED)

REAR CLOSE OFF:  
BLACK

SIDE CLOSE-OFF:  
BLACK



**DOE 2017**  
Energy Efficiency  
Compliant

**WARNING:** Please Note that the fixture depicted is a visual concept only and may be subject to performance testing, extended lead-times, and special pricing. *Please contact the Hussmann Chino Factory for Further Information.*

REVISIONS	DATE	BY
▲ LIFT UP SNEEZE GLASS	03/29/23	KM
▲ INLINE SNEEZE GLASS	04/05/23	KM
▲ FINISH CHANGES	04/11/23	KM
▲ PLAN VIEW	04/26/23	KM
▲		
▲		

CASE DESCRIPTION: ISLA 3-WELL OLIVE COUNTER  
APPROVAL DATE:  
APPROVED BY:

DATE: 03/22/23  
SCALE:  
DRAWN BY: KM  
SALES PERSON: ART SHORT

**HUSSmann®**

LIC. #644406 Hussmann Corporation  
13770 Ramona Avenue  
Chino, CA 91710 (909) 590-4910

STORE: KROGER  
LOCATION: MURRAY'S CHEESE

DWG. #  
01636-8-D

IM-04-I4-FX2272





COUNTER-LENGTH BASE

SELF-SERVICE SNEEZEGUARD  
LIFT-UP TEMPERED GLASS  
1.5" POST MOUNTED

10" PLATE SHELF  
#4 SS  
1/4" PRODUCT STOP

FRONT ACCESS TO MECHANICALS  
BEHIND LOWER DROP-IN PANEL

POST COLOR:  
STAINLESS STEEL (STD)



FLUSH REAR  
TO BE PLACED  
AGAINST WALL



DOE 2017  
Energy Efficiency  
Compliant

**WARNING:** Please Note that the fixture depicted is a visual concept only and may be subject to performance testing, extended lead-times, and special pricing. **Please contact the Hussmann Chino Factory for Further Information.**

REVISIONS	DATE	BY
▲ LIFT UP SNEEZE GLASS	03/29/23	KM
▲ INLINE SNEEZE GLASS	04/05/23	KM
▲ FINISH CHANGES	04/11/23	KM
▲ PLAN VIEW	04/26/23	KM

CASE DESCRIPTION: ISLA 3-WELL OLIVE COUNTER  
APPROVAL DATE:  
APPROVED BY:


DATE: 03/22/23  
SCALE:  
DRAWN BY: KM  
SALES PERSON: ART SHORT

**HUSSmann®**

LIC. #644406 Hussmann Corporation  
13770 Ramona Avenue Chino, CA 91710  
(909) 590-4910

STORE: KROGER  
LOCATION: MURRAY'S CHEESE

DWG. #  
01636-8-D



IM-04-I4-FX2272



**DOE 2017**  
Energy Efficiency  
Compliant

**WARNING:** Please Note that the fixture depicted is a visual concept only and may be subject to performance testing, extended lead-times, and special pricing. **Please contact the Hussmann Chino Factory for Further Information.**

REVISIONS	DATE	BY
▲ LIFT UP SNEEZE GLASS	03/29/23	KM
▲ INLINE SNEEZE GLASS	04/05/23	KM
▲ FINISH CHANGES	04/11/23	KM
▲ PLAN VIEW	04/26/23	KM
▲		
▲		

CASE DESCRIPTION: ISLA 3-WELL OLIVE COUNTER  
APPROVAL DATE:  
APPROVED BY:

DATE: 03/22/23  
SCALE:  
DRAWN BY: KM  
SALES PERSON: ART SHORT

**HUSSmann®**

LIC. #644406 Hussmann Corporation (909) 590-4910  
13770 Ramona Avenue  
Chino, CA 91710

STORE: KROGER  
LOCATION: MURRAY'S CHEESE

DWG. #  
01636-8-D

# IM-04-I4-FX2272 SPEC SHEET

## REFRIGERATION DATA:

CASE LENGTH	# OF WELLS	CASE USAGE	CAPACITY (BTU/HR/TOTAL)		TEMPERATURE (°F)								VELOCITY (FT/MIN)	EST. REFG. CHRG. (LBS)	GLYCOL REQUIREMENT	
					EVAPORATOR		UNIT SIZING*		DISCHARGE AIR							
			PAR	CONV	PAR	CONV	PAR	CONV	PAR	CONV	PAR	CONV				
3'	2	COUNTER	1500	1725	20	20	18	18	30	30	350	1.6	0.5	0.5		
4'	3	COUNTER	2250	2588	20	20	18	18	30	30	350	2.2	0.8	1.2		
5'	4	COUNTER	3000	3450	20	20	18	18	30	30	350	2.2	1.1	2.3		
6'	5	COUNTER	3750	4313	20	20	18	18	30	30	350	2.5	1.3	3.7		
7'	6	COUNTER	4500	5176	20	20	18	18	30	30	350	N/A	N/A	N/A		
8'	7	COUNTER	5250	6038	20	20	18	18	30	30	350	5.4	1.6	5.4		
10'	8	COUNTER	6000	6900	20	20	18	18	30	30	350	3.7	2.1	7.0		
12'	10	COUNTER	7500	8625	20	20	18	18	30	30	350	5.6	2.7	10.6		

\*2° F less than evaporator for pressure loss in refrigerant lines

## REFRIGERATION DATA CONTINUED:

ELEC. THERMOSTAT / AIR SENSOR SETTINGS			EPR SETTINGS			CONVENTIONAL COMPRESSOR SETTINGS					
						R22		R404A		R407A	
USAGE	CUT IN (°F)	CUT OUT (°F)	R22 (PSIG)	R404A (PSIG)	R407A (PSIG)	CUT IN (PSI)	CUT OUT (PSI)	CUT IN (PSI)	CUT OUT (PSI)	CUT IN (PSI)	CUT OUT (PSI)
TEMP. CONTROL	32	28	43	55	N/A	40	10	40	10	40	10

## END PANEL WIDTH

# OF END PNLS	END PNL WIDTH (IN.)	TOTAL ADDED LENGTH (IN.)
1	1.125	1.125
2	1.125	2.25

## LEGEND

PAR- PARALLEL

CONV- CONVENTIONAL

N/A - NOT APPLICABLE

TBD - TO BE DETERMINED

## ELECTRICAL DATA:

FANS AND HEATERS (120 VOLT)										LIGHTING: T5 WITH ELECTRONIC BALLASTS 120V INPUT VOLTAGE											
CASE LENGTH	# OF WELLS	# OF EVAP FANS	TOTAL FANS		CANOPY LIGHTS		L.E.D. CANOPY LIGHTS		# ROWS	SHELF LIGHTS		L.E.D. SHELF LIGHTS		TOTAL LIGHTS		L.E.D. TOTAL LIGHTS		HEATERS (On Fan Circuit)			
			AMPS	WATTS	AMPS	WATTS	AMPS	WATTS		AMPS	WATTS	AMPS	WATTS	AMPS	WATTS	AMPS	WATTS	AMPS	WATTS	GLASS HEATERS	WATER HEATER
3'	2	1	0.23	18	0.19	21	0.07	7.5	N/A	N/A	N/A	N/A	N/A	0.19	21	0.07	7.5	N/A	N/A	N/A	N/A
4'	3	2	0.46	36	0.26	28	0.10	10	N/A	N/A	N/A	N/A	N/A	0.26	28	0.10	10	N/A	N/A	N/A	N/A
5'	4	2	0.46	36	0.32	35	0.12	12.5	N/A	N/A	N/A	N/A	N/A	0.32	35	0.12	12.5	N/A	N/A	N/A	N/A
6'	5	3	0.69	54	0.39	42	0.15	15	N/A	N/A	N/A	N/A	N/A	0.39	42	0.15	15	N/A	N/A	N/A	N/A
7'	6	4	0.92	72	0.52	56	0.20	20	N/A	N/A	N/A	N/A	N/A	0.52	56	0.20	20	N/A	N/A	N/A	N/A
8'	7	4	0.92	72	0.52	56	0.20	20	N/A	N/A	N/A	N/A	N/A	0.52	56	0.20	20	N/A	N/A	N/A	N/A
10'	8	5	1.15	90	0.65	70	0.25	25	N/A	N/A	N/A	N/A	N/A	0.65	70	0.25	25	N/A	N/A	N/A	N/A
12'	10	6	1.38	108	0.78	84	0.29	30	N/A	N/A	N/A	N/A	N/A	0.78	84	0.29	30	N/A	N/A	N/A	N/A

## ELECTRICAL DATA CONTINUED:

CASE LENGTH	# OF WELLS	CONDENSING UNIT 120V 1 PHASE **230V		DRAIN EVAP PAN 120V		CONVENIENCE OUTLETS (Optional)			
		AMPS	WATTS	AMPS	WATTS	# OUTLETS	VOLTS	AMPS	
3'	2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4'	3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
5'	4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
6'	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
7'	6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
8'	7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10'	8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
12'	10	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

## DEFROST DATA:

# OF WELLS	DEFROST TYPE	TIME (MIN.)	TERM. TEMP (°F) COIL ONLY	DRIP TIME (MIN.)	DEFROST PER DAY	ELECTRICAL DEFROST 208V 1 PHASE		DEFROST WATER (LB/DAY)
						AMPS	WATTS	
2	OFF TIME	20	54	TBD	6	N/A	N/A	TBD
3	OFF TIME	20	54	TBD	6	N/A	N/A	TBD
4	OFF TIME	20	54	TBD	6	N/A	N/A	TBD
5	OFF TIME	20	54	TBD	6	N/A	N/A	TBD
6	OFF TIME	20	54	TBD	6	N/A	N/A	TBD
7	OFF TIME	20	54	TBD	6	N/A	N/A	TBD
8	OFF TIME	20	54	TBD	6	N/A	N/A	TBD
10	OFF TIME	20	54	TBD	6	N/A	N/A	TBD



DOE 2017  
Energy Efficiency  
Compliant

**WARNING:** Please Note that the fixture depicted is a visual concept only and may be subject to performance testing, extended lead-times, and special pricing. **Please contact the Hussmann Chino Factory for Further Information.**

REVISIONS	DATE	BY
▲ LIFT UP SNEEZE GLASS	03/29/23	KM
▲ INLINE SNEEZE GLASS	04/05/23	KM
▲ FINISH CHANGES	04/11/23	KM
▲ PLAN VIEW	04/26/23	KM
▲		
▲		

CASE DESCRIPTION: ISLA 3-WELL OLIVE COUNTER  
APPROVAL DATE:  
APPROVED BY:

DATE: 03/22/23  
SCALE:  
DRAWN BY: KM  
SALES PERSON: ART SHORT

**HUSSMANN®**

LIC. #644406 Hussmann Corporation  
13770 Ramona Avenue Chino, CA 91710 (909) 590-4910