


## KEYED NOTES:

1. PROVIDE NEW 3" HUB DRAIN PER PSD-1 (RE: P5.1).
2. VERIFY EXACT LOCATION OF EXISTING 3" HUB DRAIN. REUSE FLOOR DRAINAGE FIXTURE FOR NEW OR RELOCATED REFRIGERATED CASE.
3. INSTALL NEW BREAK ROOM SINK IN MILLWORK WITH VALVES AND FITTINGS AS REQUIRED. PROVIDE 1 1/2" DRAIN AND P-TRAP TO CONNECT TO EXISTING SANITARY CONNECTION. COORDINATE WITH ARCHITECTURAL TRADES.
4. PROVIDE 1/2" FW FROM RO SYSTEM IN PRODUCE PREP. ROUTE IN OPEN CEILING TIGHT TO EXISTING STRUCTURE TO DROP DOWN IN NEW CHASE TO RELOCATED WATER DISPENSING MACHINE. PROVIDE WITH 1/2" FW VALVE 4'-0" A.F.F.
5. VERIFY OPERATION OF EXISTING WATER DISPENSER DRAIN PUMP FOR REUSE. ROUTE PUMP OUTLET PIPING UP IN NEW CHASE AND IN OPEN CEILING TIGHT TO EXISTING STRUCTURE TO NEW DROP AT DAIRY ISLAND. SPILL INTO NEAREST HUB DRAIN.

## PLUMBING GENERAL NOTES:

1. REFER TO NOTES ON SHEET P5.1.
2. PROVIDE NEW PLUMBING SERVICES TO FIXTURES AS INDICATED ON PLUMBING FIXTURE SCHEDULE (RE: P5.1).
3. WHERE MULTIPLE DRAINAGE FIXTURES ARE SERVED BY A SINGLE HUB DRAIN, PROVIDE CONCENTRIC 4" COUPLING ON HUB OPENING.
4. REFER TO PLUMBING DETAILS ON SHEET P5.1.
5. REFER TO ENLARGED PLUMBING PLAN ON SHEET P4.1.



**PLUMBING PLAN**  
SCALE: 1/16" = 1'-0"

ADDENDUM NO. 1  
BIDS AND PERMITS  
DIRECT BUY QUOTE  
90% OWNER REVIEW

03/18/2024  
03/08/2024  
02/18/2024  
01/25/2024

PROPOSED MINOR INTERIOR  
REMODEL FOR:

**Kroger**

STORE NO. D-711

7084 MILLER ROAD  
SWARTZ CREEK, MI 48473

THE KROGER CO. OF MICHIGAN

**jeffery a. scott architects p.c.**

32316 grand river ave. suite 200  
farmington, michigan 48336-3261  
(248) 476-8800 fax (248) 476-8833

PLUMBING PLAN

project no.

**23086**

sheet no.

**P1.1**

copyright © 2024