


## KEYED NOTES:

1. PROVIDE NEW 3" HUB DRAIN PER PSD-1 (RE: P5.1).
2. VERIFY EXACT LOCATION OF EXISTING 3" HUB DRAIN. REUSE FLOOR DRAINAGE FIXTURE FOR NEW OR RELOCATED REFRIGERATED CASE.
3. INSTALL NEW BREAK ROOM SINK IN MILLWORK WITH VALVES AND FITTINGS AS REQUIRED. PROVIDE 1 1/2" DRAIN AND P-TRAP TO CONNECT TO EXISTING SANITARY CONNECTION. COORDINATE WITH ARCHITECTURAL TRADES.
4. PROVIDE 1/2" FW FROM RO SYSTEM IN PRODUCE PREP. ROUTE IN OPEN CEILING TIGHT TO EXISTING STRUCTURE TO DROP DOWN IN NEW CHASE TO RELOCATED WATER DISPENSING MACHINE. PROVIDE WITH 1/2" FW VALVE 4'-0" A.F.F.
5. VERIFY OPERATION OF EXISTING WATER DISPENSER DRAIN PUMP FOR REUSE. ROUTE PUMP OUTLET PIPING UP IN NEW CHASE AND IN OPEN CEILING TIGHT TO EXISTING STRUCTURE TO NEW DROP AT DAIRY ISLAND. SPILL INTO NEAREST HUB DRAIN.

## PLUMBING GENERAL NOTES:

1. REFER TO NOTES ON SHEET P5.1.
2. PROVIDE NEW PLUMBING SERVICES TO FIXTURES AS INDICATED ON PLUMBING FIXTURE SCHEDULE (RE: P5.1).
3. WHERE MULTIPLE DRAINAGE FIXTURES ARE SERVED BY A SINGLE HUB DRAIN, PROVIDE CONCENTRIC 4" COUPLING ON HUB OPENING.
4. REFER TO PLUMBING DETAILS ON SHEET P5.1.
5. REFER TO ENLARGED PLUMBING PLAN ON SHEET P4.1.



**PLUMBING PLAN**  
SCALE: 1/16" = 1'-0"

BIDS AND PERMITS DIRECT BUY QUOTE 90% OWNER REVIEW		03/06/2024 02/19/2024 01/25/2024
PROPOSED MINOR INTERIOR REMODEL FOR:		
		
STORE NO. D-711 7084 MILLER ROAD SWARTZ CREEK, MI 48473		
THE KROGER CO. OF MICHIGAN		
 <b>jeffery a. scott architects p.c.</b>		
32316 grand river ave. suite 200 farmington, michigan 48336-3261 (248) 476-8800 fax (248) 476-8833		
PLUMBING PLAN		
project no. <b>23086</b>	sheet no. <b>P1.1</b>	