

SECTION 10 28 13 - TOILET ACCESSORIES

PART 1 - GENERAL

1.1 SUMMARY

A. Section includes:

1. **KROGER DIRECT BUY PROGRAM:** Owner furnished - Contractor installed.
 - a. The Kroger Company will supply the following washroom accessories:
 - 1) Paper towel dispensers
 - 2) Soap dispensers
 - b. Comply with requirements in Division 00 Section "General Conditions."
2. **KROGER NATIONAL ACCOUNT AGREEMENT:** Contractor furnished - Contractor installed.
 - a. The following custodial accessories are to be provided by the Contractor and purchased under a national account agreement with the Kroger Co.:
 - 1) Hook strip.
3. Contractor installed items:
 - a. Washroom accessories.
 - b. Custodial accessories.

1.2 SUBMITTALS

- A. Product Data: For each type of product indicated.
- B. Shop Drawings: Templates, instructions, and directions for installation of anchorage devices and cut-out requirements in other work.
- C. The Owner will provide the submittals for Owner furnished products for the Contractor's review. The Contractor shall review and return submittals as specified in Division 00 Section "General Conditions."

PART 2 - PRODUCTS

2.1 PERFORMANCE REQUIREMENTS

- A. Accessibility Requirements: comply with the USDOJ's "2010 ADA Standards for Accessible Design" and ICC A117.1 for mounting heights and locations if not indicated on Drawings.

2.2 WASHROOM ACCESSORIES (FURNISHED BY OWNER)

- A. Refer to Division 01 Section "Vendor Contact List" for contact information on products furnished by the Owner.

2.3 CUSTODIAL ACCESSORIES (PROVIDED BY CONTRACTOR)

- A. Hook Strip:

- 1. Product: Bobrick Washroom Equipment, Inc.; Hook Strip, B-232 x 24.
- 2. Material:
 - a. Hooks: Stainless steel, 12 gauge, type 304.
 - b. Mounting Strip: Stainless steel, 18 gauge, type 304.
- 3. Size: 24 inches (610 mm) wide by 4 inches (102 mm) high.
- 4. Number of Hooks: 3.

PART 3 - EXECUTION

3.1 EXAMINATION

- A. Keys: Properly label keys and turn over to Owner.

3.2 INSTALLATION

- A. Install products and accessories according to manufacturers' written instructions, using fasteners appropriate to substrate indicated and recommended by unit manufacturer. Install units level, plumb, and firmly anchored in locations and at heights indicated on Drawings.

END OF SECTION 10 28 13