


1. REFER TO NOTES ON SHEET P5.1.
2. PROVIDE NEW PLUMBING SERVICES TO FIXTURES AS INDICATED ON PLUMBING FIXTURE SCHEDULE (RE: P5.1).
3. WHERE MULTIPLE DRAINAGE FIXTURES ARE SERVED BY A SINGLE HUB DRAIN, PROVIDE CONCENTRIC 4" COUPLING ON HUB OPENING.
4. REFER TO PLUMBING DETAILS ON SHEET P5.1.



- ① PROVIDE NEW 3" HD DRAIN PER PSD-1 (RE: PS.1).
- ② VERIFY EXACT LOCATION OF EXISTING 3" HD DRAIN. REUSE FLOOR DRAINAGE FIXTURE FOR NEW OR RELOCATED REFRIGERATED CASE.
- ③ PROVIDE 3/4" CW DROP TO NEW HOSE BIBB MOUNTED 18" A.F.F. CONNECT HOSE TO PROPORTIONER.
- ④ DISCONNECT AND REMOVE EXISTING BREAK ROOM SINK COMPLETE. INSTALL NEW BREAK ROOM SINK IN MILLWORK WITH VALVES AND TUBING AS REQUIRED. CONNECT NEW P-TRAP TO EXISTING SANITARY ROUGH-IN CONNECTION. PROVIDE NEW HOSES TO CONNECT FAUCET TO EXISTING WATER SUPPLY ROUGH-IN CONNECTIONS. COORDINATE WITH ARCHITECTURAL TRIM.
- ⑤ ROUTE 1 1/2" VENT PIPING IN WALL TO ABOVE CEILING IN SOFFIT SPACE. COORDINATE WITH REFRIGERATION CONTRACTOR FOR ABOVE CEILING WORK. CONNECT TO NEW VENT WITH REFRIGERATION CONTRACTOR. REFRIGERATION CEILING WORK. REMOVE CAP AND MODIFY EXISTING VTR FOR CONNECTION ABOVE CEILING.

	<b>ADDENDUM NO. 1</b>	<b>02/01/2024</b>
	<b>BIDS AND PERMITS</b>	<b>01/12/2024</b>
issued for:	<b>90% OWNER REVIEW</b>	<b>12/14/2023</b>

**PROPOSED MINOR INTERIOR  
REMODEL FOR:**



**STORE NO. D-715**  
1215 24TH ST  
PORT HURON, MI 48060

THE KROGER CO. OF MICHIGAN



**jeffery a.  
scott  
architects p.c.**

32316 grand river ave. suite 200  
farmington, michigan 48336-3261  
(248) 476-8800 fax (248) 476-8833

## PLUMBING PLAN

## PLUMBING PLAN

sheet no.	24
-----------	----

© 2004

23085 P1.1

[illegible]

Copyright © 2024