




Top View




3D View



Front View



Side View



Since 1960  
Title: 4-80  
Customer: (update me)  
Size:  
Color: -  
Description:  
Add. Info:

Job No:  
Date: 5/6/21  
Drawn By: A. Hynes

2314 E Locust Ct  
Ontario, California 91781  
p. 909-416-4827 f. 909-923-4566  
www.IvarDisplay.com

# G-4

## COUNTERTOP COOLER

### *G-Series Coolers*

## FEATURES

- Exterior Dimensions: 18.5"W x 21"D x 42"H
- Dynamic LED Lighting In Door Provides Enhanced Product Illumination While Greatly Reducing Energy Consumption
- Forced Air Refrigeration System For Fast Product Temperature Pull Down
- High Impact Side Panel Graphics
- High Density Environmentally Friendly Insulation
- Utilizes Climate-Friendly Natural Refrigerant
- 3 Adjustable Powder-Coated Metal Shelves
- Double-Paned, Low "E", Self-Closing Glass Door
- LED Interior Lighting
- Durable Pre-Painted Steel Cabinet and Heavy Duty Inner Liner
- Adjustable Temperature Control
- 9' Heavy Duty Power Cord

## CERTIFICATIONS

### 220v

- ROHS
- CB Scheme

### 110v

- UL471
- NSF-7, Type 2 Display Refrigerant
- ENERGY STAR® Qualified



8825 Boston Place, Rancho Cucamonga CA 91730 | Toll: 877.307.2665 | Office: 909.447.8254 | Fax: 909.305.8756 | [www.idw.global](http://www.idw.global)

The specifications contained herein are for illustrative marketing purposes only and are not intended to be relied upon in whole or in part. All creative works are the sole property of IDW, Inc. Any reproduction in part or as a whole without written permission from IDW, Inc. is prohibited.

# G-4

## COUNTERTOP COOLER

### G-Series Coolers

#### TECH SPECS

|               |               |
|---------------|---------------|
| Refrigerant   | R600a         |
| Amps          | 1.4           |
| Volts/Hz      | 110-120V/60Hz |
| Compressor HP | 1/8           |

#### SHIPPING SPECS

|                   |                                     |
|-------------------|-------------------------------------|
| Gross Weight      | 108 lbs/49 kg                       |
| Net Weight        | 99 lbs/45 kg                        |
| Carton Dims (WDH) | 20.25"x2.25"x43.3" / 515x564x1110mm |
| Units per Pallet  | 4                                   |
| Shipping Loads    | 40'HQ ~ 176<br>53' ~ 208            |

#### DIMENSIONS

External: 18.5"W x 21"D x 42"H inches / 470 x 533 x 1067 mm

Shelf: 14.75"W x 11.84"D inches / 74 x 283 mm


#### PACKOUT CAPACITIES

|            | Facing | Depth | Shelves | Rows | Total Capacity |
|------------|--------|-------|---------|------|----------------|
| 16OZ CAN   | 5      | 4     | 4       | 5    | 95*            |
|            | 5      | 3     | 0       |      |                |
| 20OZ PET** | 5      | 4     | 3       | 4    | 75             |
|            | 5      | 3     | 0       |      |                |




\* Additional shelves, beyond what is supplied with the cooler, may be required to achieve this maximum pack-out.  
 \*\* 20oz pack outs may vary depending on product size.



External Dimensions



Internal Dimensions



8825 Boston Place, Rancho Cucamonga CA 91730 | Toll: 877.307.2665 | Office: 909.447.8254 | Fax: 909.305.8756 | [www.idw.global](http://www.idw.global)

The specifications contained herein are for illustrative marketing purposes only and are not intended to be relied upon in whole or in part. All creative works are the sole property of IDW, Inc. Any reproduction in part or as a whole without written permission from IDW, Inc. is prohibited.