

GENERAL NOTES

- A. THIS DRAWING SET IS TO BE VIEWED AS A WHOLE. ALL WORK PERTAINING TO A SPECIFIC TRADE MAY OR MAY NOT BE SHOWN ON SPECIFIC DRAWING OR SPECIFICATION SECTIONS.
- B. ALL WORK SHALL COMPLY WITH ALL LOCAL AND STATE CODES AND AUTHORITIES HAVING JURISDICTION.
- C. CONSTRUCTION SHALL MEET THE BARRIER FREE REQUIREMENTS STATED IN THE MICHIGAN DEPT. OF LABOR CONSTRUCTION CODE GENERAL RULES, LATEST EDITION.
- D. FIELD VERIFY ALL DIMENSIONS. ALL DIMENSIONS ARE CLEAR UNLESS NOTED OTHERWISE.
- E. THIS PROJECT CONTAINS AN EXISTING COMPLETE FIRE PROTECTION SPRINKLER SYSTEM, FIRE ALARM & THE BUILDING PREMISE/SECURITY ALARM. THE EXISTING SYSTEMS IN PLACE ARE TO BE MODIFIED ACCORDINGLY TO WORK WITH THE NEW CONFIGURATION & LAYOUT. SEE KROGER SPECIFICATIONS FOR ADDITIONAL INFORMATION.

DEMOLITION KEY NOTES

1. REMOVE EXISTING FLOOR FINISH. PATCH/REPAIR CONCRETE SLAB AS REQUIRED DUE TO DEMOLITION OR DAMAGE.
2. REMOVE ALL EXISTING FIXTURES, CASES AND EQUIPMENT AS INDICATED AND AS DIRECTED BY THE KROGER PROJECT MANAGER. SALVAGE ALL ITEMS SCHEDULED FOR REUSE. DISPOSE OF ALL FIXTURES NOT SCHEDULED FOR REUSE OR STORAGE BY THE KROGER PROJECT MANAGER. REMOVE EXISTING WIRING METHODS AND DEVICES FOR DEMOLISHED ELECTRICAL EQUIPMENT AND FIXTURES. REMOVE AND RELOCATE EXISTING WIRING METHODS AND DEVICES FOR RELOCATED EQUIPMENT.
3. REMOVE EXISTING WALLS (OR PORTION OF) AND ALL ASSOCIATED ITEMS COMPLETE TO ALLOW FOR NEW CONFIGURATION. PATCH ADJACENT CONSTRUCTION REMAINING IN PLACE.
4. REMOVE EXISTING DOOR AND ALL ASSOCIATED ITEMS COMPLETE TO ALLOW FOR NEW CONFIGURATION. PATCH ADJACENT CONSTRUCTION REMAINING IN PLACE.
5. REMOVE PORTION OF THE EXISTING CEILING GRID & TILES AS REQUIRED TO ACHIEVE NEW CONFIGURATION. SEE REFLECTED CEILING PLAN ON SHEET A1.3.
6. REMOVE DECOR AND ROOM FINISHES (FLOORING, WAINSCOT, WALL DECOR) AND PREP FOR NEW FINISHES.
7. COORDINATE ALL ELECTRICAL DEMOLITION WORK WITH APPROPRIATE TRADES. SEE SHEET E1.3 FOR ELECTRICAL DEMOLITION.


DEMOLITION FIXTURE KEY

- EXISTING FIXTURES
- DEMOLISHED FIXTURES


PLAN NOTES

1. SEE PROJECT SUPERINTENDENT AND KROGER PM FOR PAINTING INSTRUCTIONS.
2. PROVIDE NEW SUBSTRATE AND PREP TO RECEIVE NEW FINISHES AS REQUIRED FOR NEW WALL OR DUE TO REMOVAL OF EXISTING FINISHES. SUBSTRATE TO BE GYPSUM BOARD. PROVIDE A CLEAN FLUSH SURFACE TO APPLY NEW WALL FINISH AS INDICATED.
3. PROVIDE RESILIENT FLOOR TRIM AT NEW FLOORING TRANSITIONS, RT-702 (JOHNSONITE, TRANSITION OR REDUCER, 20 CHARCOAL). SEE ASD-4E, A5.1.


- F. THIS STORE WILL REMAIN OPEN FOR BUSINESS DURING DEMOLITION AND CONSTRUCTION. IT IS ANTICIPATED THAT SOME PORTIONS OF THE DEMOLITION AND CONSTRUCTION WORK WILL BE REQUIRED TO BE PERFORMED DURING PEAK HOURS. PROVIDE TEMPORARY DUST PARTITIONS AND BARRICADES DURING ALL PHASES OF DEMOLITION AND CONSTRUCTION TO INSURE SAFETY OF BUILDING OCCUPANTS AND WORKERS. VERIFY LOCATIONS AND REQUIREMENTS WITH KROGER PROJECT MANAGER. SEE ASD-162A ON SHEET A5.1.
- G. ALL WOOD STUDS, FURRING, BLOCKING, FRAMING AND PLYWOOD SHEATHING SHALL BE FIRE RETARDANT PRESSURE TREATED.
- H. PROVIDE WOOD BLOCKING (INSERTED IN METAL STUDS) IN PARTITIONS FOR MISCELLANEOUS FIXTURES AND SHELVING AS REQUIRED. PATCH/REPAIR WALL & FINISHES AS REQUIRED WHEN ADDING BLOCKING TO EXISTING WALLS.
- I. ALL ELECTRICAL TO BE REWORKED TO NEW LOCATIONS.
- J. SEE SHEET A5.2 FOR PARTITION TYPE.
- K. (A) INDICATES TO ALIGN WITH THE ADJACENT, EXISTING WALL.
- L. G.C. TO PROVIDE ALL PLUMBING, MECHANICAL AND ELECTRICAL WORK REQUIRED TO COMPLETE THE PROJECT. SIZE AND LOCATIONS OF PLUMBING, MECHANICAL AND ELECTRICAL FIXTURES AND FITTINGS ARE SHOWN ON THESE DOCUMENTS FOR DESIGN CHARACTERISTICS AND LAYOUT PREFERENCE ONLY.
- M. ALL MATERIAL SHALL BE INSTALLED PER MANUFACTURER'S SPECIFICATIONS. CONTRACTORS TO PROVIDE ALL WARRANTIES AND MATERIALS DURING INSTALLATION.
- N. PROVIDE ALL NEW CONTROL JOINTS IN GYPSUM SOFFITS, WALLS, AND FURRING AS RECOMMENDED BY THE GYPSUM MANUFACTURER.



12
A11
PHARMACY
DEMOLITION PLAN
SCALE: 1/4" = 1'-0"



10
A11
PHARMACY
FLOOR PLAN
SCALE: 1/4" = 1'-0"



PARTITION KEY

- EXISTING WALL
- EXISTING SOFFIT
- NEW WALL
- NEW SOFFIT

FINISH NOTES

- VERIFY ALL NEW FINISHES WITH THE KROGER PROJECT MANAGER.

1. SALES FLOOR FINISHES AT NEW WALLS
- FLOOR: EXISTING VCT TO REMAIN. MATCH EXISTING.
 - WALL BASE: VINYL WALL BASE TO MATCH EXISTING (SEE ASD-51D, A5.1)
 - WALLS: 1/2" GYPSUM BOARD. PAINT TO MATCH EXISTING / ADJACENT WALLS. WALLS VISIBLE TO CUSTOMER: WAINSCOT & WALL BUMPER TO MATCH EXISTING.
 - CEILING: EXISTING TO REMAIN. SEE SHEET A1.3.
2. PHARMACY FINISHES
- FLOOR: EXISTING CARPET TO REMAIN. PATCH AND MATCH EXISTING AS REQUIRED.
 - WALL BASE: VINYL WALL BASE TO MATCH EXISTING (SEE ASD-51D, A5.1)
 - WALLS: 1/2" GYPSUM BOARD, PAINT NEW WALLS PT-704 (SW 7029, AGREEABLE GRAY)
 - CEILING: EXISTING TO REMAIN. NEW TO MATCH EXISTING. SEE REFLECTED CEILING PLAN ON A1.3.
3. PHARMACY COUNSEL FINISHES
- FLOOR: NEW LVT, VT-708 (ARMSTRONG, BIOME, ST283 BOREAL COPENHAGEN)
 - WALL BASE: NEW VINYL WALL BASE, WB-701 (JOHNSONITE, TRADITIONAL VINYL .08040, BLACK) (SEE ASD-51D, A5.1)
 - WALLS: 1/2" GYPSUM BOARD, WAINSCOT, CL-701 (MARLITE, PAINTED PLANK (PREFINISHED) SW 6991 BLACK MAGIC), PAINT WALLS PT-704 (SW 7029, AGREEABLE GRAY) PAINT NORTH WALL PT-720 (SW 6513, TAKE FIVE)
 - CEILING: NEW 2x4 ACOUSTIC CELING PANEL AND GRID, AC-701 (USG, RADAR CLIMA PLUS #2410, WHITE) SEE REFLECTED CEILING PLAN ON A1.3.
4. PHARMACY WELCOME COUNTER AREA FINISHES
- FLOOR: NEW LVT, VT-708 (ARMSTRONG, BIOME, ST283 BOREAL COPENHAGEN)
 - WALL BASE: NEW VINYL WALL BASE, WB-701 (JOHNSONITE, TRADITIONAL VINYL .08040, BLACK) (SEE ASD-51D, A5.1)
 - WALLS: 1/2" GYPSUM BOARD, WAINSCOT, CL-701 (MARLITE, PAINTED PLANK (PREFINISHED) SW 6991 BLACK MAGIC), PAINT WALLS PT-720 (SW 6513, TAKE FIVE)
 - CEILING: EXISTING TO REMAIN. NEW TO MATCH EXISTING. SEE REFLECTED CEILING PLAN ON A1.3.

- SEE REFLECTED CEILING PLAN ON SHEET A1.3 FOR CEILING AND LIGHTING PLANS.
 - SEE SHEET A5.2 DOOR SCHEDULE & DETAILS.
- NOTE: PROVIDE TEMPORARY BARRICADES AT AREAS OF WORK AS REQUIRED BY KROGER PROJECT MANAGER. SEE ASD-162A ON SHEET A5.1.

BIDS AND PERMITS
OWNER REVIEW

07/31/2023
07/17/2023

PROPOSED MINOR STORE
PHARMACY ALTERATION FOR:



STORE NO. D-715
1215 24TH STREET
PORT HURON, MI 48080

THE KROGER CO. OF MICHIGAN



jeffery a.
scott
architects p.c.

32316 grand river ave. suite 200
farmington, michigan 48336-3261
(248) 476-8800 fax (248) 476-8833

PARTIAL FLOOR PLANS

project no.


23074.06

sheet no.


A1.1

FIRE SUPPRESSION, FIRE ALARM & SECURITY NOTES

- 1. THE FIRE SUPPRESSION WORK ON THIS PROJECT SHALL BE DESIGN-BUILD AND BE A DEFERRED SUBMITTAL BY G.C. AFTER THE BIDDING PROCESS. THE INTENT IS TO EXTEND AND MODIFY THE EXISTING SYSTEM AS REQUIRED FOR THE CHANGES MADE TO THE STORE. REPAIR AND/OR REPLACE ANY DAMAGED OR MISSING COMPONENTS. PROVIDE ANY ADDITIONAL COMPONENTS FOR THE SYSTEM AS REQUIRED FOR MODIFICATIONS TO THE SYSTEM.
- 2. G.C. SHALL BE RESPONSIBLE FOR COORDINATION OF ALL MECHANICAL, PLUMBING, REFRIGERATION, ELECTRICAL WITH LOCAL AUTHORITIES HAVING JURISDICTION AND ALL OTHER BUILDING TRADES. CARE SHALL BE TAKEN TO PROTECT EXISTING ITEMS SCHEDULED FOR REUSE.
- 3. REWORK EXISTING FIRE SUPPRESSION SYSTEM IN EACH AREA WHERE THE ROOM LAYOUT OR CEILING HAS CHANGED AS REQUIRED TO ACCOMMODATE NEW CONFIGURATION (RAISE OR LOWER HEADS AS REQUIRED). ALL REVISIONS TO THE FIRE SUPPRESSION SYSTEM TO BE TREATED AS A DEFERRED SUBMITTAL BY G.C. REVISION TO BE DESIGNED AND SEALED BY A LICENSED ENGINEER AND MEET ALL RELEVANT STATE AND LOCAL CODES. (ALL WORK/DESIGN/REVISIONS TO BE APPROVED BY KROGER'S UNDERWRITER).
- 4. COORDINATE ALL REQUIRED BACK-FLOW PREVENTION DEVICE MAINTENANCE AGREEMENTS BETWEEN THE OWNER AND THE CITY.
- 5. THE EXISTING FIRE ALARM SYSTEM SHALL REMAIN FOR THIS STORE. MODIFY SYSTEM AS REQUIRED FOR NEW LAYOUT. FIRE ALARM WORK ON THIS PROJECT SHALL BE DESIGN-BUILD AND BE A DEFERRED SUBMITTAL BY G.C.
- 6. THE EXISTING SECURITY SYSTEM (PREMISE ALARM) SHALL REMAIN FOR THIS STORE. MODIFY SYSTEM AS / IF REQUIRED FOR NEW LAYOUT. SECURITY ALARM WORK ON THIS PROJECT SHALL BE DESIGN-BUILD AND BE A DEFERRED SUBMITTAL BY G.C.
- 7. G.C. SHALL BE RESPONSIBLE FOR COORDINATION OF ALL MECHANICAL, PLUMBING, AND ELECTRICAL WITH LOCAL AUTHORITIES HAVING JURISDICTION AND ALL OTHER BUILDING TRADES. CARE SHALL BE TAKEN TO PROTECT EXISTING ITEMS SCHEDULED FOR REUSE.



38 A13 RECTANGULAR DUCT BRANCH TAKE-OFF DETAIL SCALE: NONE



36 A13 DUCT CONNECTION DETAIL SCALE: NONE

MECHANICAL GENERAL NOTES

- A. SYSTEMS SHOWN ON THESE "REMODEL" DOCUMENTS ARE DIAGRAMMATIC IN NATURE. COORDINATE EXACT DUCT LOCATION WITH EXIST FIELD CONDITIONS. DUCTWORK SHOWN IN THIS CONSTRUCTION DOCUMENT IS DESIGNED AT A PRESSURE LOSS OF 0.08 WC/100 FEET OF DUCT. HVAC INSTALLATION CONTRACTOR MAY ADAPT DUCTWORK PER FIELD CONDITIONS DICTATE, AS LONG AS DUCT TOTAL PRESSURE DROP DOES NOT CHANGE. MAJOR DEVIATIONS (DUCT LOCATIONS MOVE MORE THAN 3 FEET FROM THAT STATED IN PLANS) IN DUCTWORK PER FIELD CONDITIONS SHALL BE BROUGHT TO THE ATTENTION OF MECHANICAL ENGINEER / KROGER PROJECT MANAGER FOR APPROVAL PRIOR TO DEVIATION FROM CONSTRUCTION DOCUMENTS.
- B. TAP INTO NEW SUPPLY, RETURN AND/OR EXHAUST DUCTS USING 45 DEGREE SHOE FITTING. ALL DUCTWORK TO BE INSTALLED PER KROGER BUILDING SPECIFICATIONS.
- C. RELOCATE EXISTING DIFFUSERS. REPLACE EXISTING DIFFUSERS WITH NEW IF REQUIRED DUE TO DAMAGE. INSTALL VOLUME DAMPERS IN AN ACCESSIBLE LOCATION, AS FAR AS POSSIBLE FROM DIFFUSERS AND GRILLES AND AS CLOSE AS POSSIBLE TO BRANCH TAKE OFF. KEEP DAMPERS 12"WIDTHS FROM A BRANCH TAKE-OFF.
- D. CONTRACTOR SHALL COORDINATE LOCATION OF ALL EQUIPMENT AND SYSTEMS THAT ARE PART OF "REMODEL" WORK WITH EXISTING CONDITIONS AND OTHER TRADES.
- E. ALL DUCT MAINS AND BRANCHES IN "REMODEL" WORK TO BE RECTANGULAR. DIRECT CONNECTIONS TO DIFFUSERS CAN BE ROUND.

ELECTRICAL LIGHTING DEMOLITION NOTES

- 1. REMOVE OR RELOCATE EXISTING LIGHTING AND ELECTRICAL WORK AS REQUIRED TO ACCOMMODATE NEW WORK.
- 2. REMOVE AND RELOCATE EXISTING ELECTRICAL WORK FROM SURFACES OR WITHIN WALLS TO BE REMOVED TO NEAREST EXISTING WALL TO REMAIN OR NEW WALL AS REQUIRED. DO NOT LEAVE EXISTING ELECTRICAL WORK FREESTANDING IN AREAS INTENDED TO BE CLEAR SPACE. CONCEAL WHERE PRACTICAL.
- 3. REMOVE EXISTING LIGHTING AND ASSOCIATED EQUIPMENT AND SERVICES, NOT INDICATED TO BE REUSED, FROM REMODELED AREAS.
- 4. SEE CEILING DEMOLITION NOTES FOR CEILING/LIGHTING DEMO. SEE REFLECTED CEILING PLAN FOR NEW CEILING & LIGHTING WORK.

ELECTRICAL LIGHTING NOTES

- 1. REUSE EXISTING BRANCH CIRCUITS MADE AVAILABLE BY DEMOLITION WHERE PRACTICAL UNLESS NOTED OTHERWISE. EXTEND EXISTING WIRING METHODS AS REQUIRED TO ACCOMMODATE NEW EQUIPMENT LOCATIONS. PROVIDE ADJUSTMENTS OR ADDITIONAL BRANCH CIRCUITS AS REQUIRED FROM NEAREST SUITABLE PANELBOARD. ROUTE NEW RACEWAYS BY MOST PRACTICAL CONCEALED MEANS AVAILABLE UNLESS NOTED OTHERWISE. DO NOT INSTALL EXPOSED RACEWAYS OR SAWCUT WITHOUT THE CONSENT OF THE KROGER PROJECT MANAGER.
- 2. UPDATE AND PRINT ALL LABELS AND DIRECTORIES FOR BRANCH CIRCUITS AFFECTED BY NEW CONSTRUCTION. HANDWRITTEN IDENTIFICATION SHALL NOT BE ACCEPTABLE.
- 3. REPAIR OR REPLACE DAMAGED OR INOPERATIVE (NORMAL, EMERGENCY, AND EXIT). CLEAN LUMINAIRES ASSOCIATED WITH NEW WORK THAT ARE TO REMAIN OR BE RELOCATED.
- 4. NEW AND RELOCATED LIGHT FIXTURES AND NEW LIGHTING CONTROLS TO BE CIRCUITED TO NEAREST AVAILABLE PANEL. PROVIDE MINIMUM 3/4"IC, 2#10+1#10GND TO NEW OR SPARE 20/1 CB IN EXISTING NEAREST SUITABLE PANELBOARD.
- 5. EMERGENCY LIGHT FIXTURES TO BE WIRED TO NEAREST SUITABLE EMERGENCY LIGHTING BRANCH CIRCUIT. EXTEND EXISTING WIRING METHODS AS REQUIRED.

MECHANICAL DEMOLITION NOTES


- 1. REMOVE EXISTING GRILLE, DIFFUSER AND ASSOCIATED DUCTWORK, ETC. SAVE GRILLE AND DIFFUSER FOR RELOCATION.
- 2. RELOCATION AND/OR EXTENSION OF EXISTING SERVICES AS PART OF "REMODEL" WORK SHALL BE PERFORMED TO MEET THE MATERIALS AND WORKMANSHIP REQUIRED OF NEW WORK.

MECHANICAL NOTES

- 1. CONTRACTOR SHALL COORDINATE LOCATION OF ALL EQUIPMENT AND SYSTEMS WITH EXISTING CONDITIONS AND OTHER TRADES.
- 2. THE EXISTING HVAC AND MECHANICAL SYSTEM TO REMAIN, U.N.O.
- 3. RELOCATE EXISTING DIFFUSER. ADJUST / EXTEND EXISTING DUCTWORK TO NEW LOCATION.

CEILING DEMOLITION NOTES


- 1. SEE DEMOLITION PLAN AND NOTES ON SHEET A1.1 FOR ADDITIONAL INFORMATION.
- 2. REMOVE EXISTING PORTION OF THE EXISTING CEILING GRID AND TILES, THIS AREA AS INDICATED AND REQUIRED TO ACHIEVE NEW CONFIGURATION. ALL WIRING, DUCTS, CABLING, FIRE SUPPRESSION OR OTHER MISCELLANEOUS ITEMS LOCATED ABOVE THE CEILING IN THIS AREA TO BE REWORKED AND/OR RELOCATED AS REQUIRED TO ACHIEVE THE NEW CONFIGURATION.
- 3. REMOVE EXISTING LIGHT FIXTURES. SALVAGE THOSE LIGHT FIXTURES INDICATED TO REUSE.



32 A13 PHARMACY CEILING DEMOLITION PLAN SCALE: 1/4" = 1'-0"

REFLECTED CEILING PLAN NOTES

- 1. EXISTING CEILING AND LIGHTING TO REMAIN, U.N.O. REPLACE TILES AS REQUIRED DUE TO DAMAGE OR CONSTRUCTION.
- 2. NEW 2x4 CEILING GRID AND TILES. MATCH AND ALIGN WITH EXISTING CEILING WHEN REPLACING GRID AND TILES ADJACENT TO THE EXISTING.
- 3. RELOCATE EXISTING LIGHT FIXTURE AS INDICATED.
- 4. REWORK AND MODIFY EXISTING FIRE SUPPRESSION SYSTEM AS REQUIRED FOR NEW CONFIGURATION. SEE FIRE SUPPRESSION, FIRE ALARM & SECURITY NOTES.




KEY PLAN SCALE: N.T.S.

LIGHTING SENSOR SYMBOL LEGEND:	
** Refer to Sitefolio Section 'Sitefolio/Files/Capital/Procurement/Direct Buy Owner Furnished Products Information/Lighting _Interior_Fixtures/_Interior_Lighting_Master_Fixture_Schedule' for Lighting Sensor Manufacturer & Model **	
	MOTION SENSOR SWITCH
ALL LIGHTING CONTROLS NOT PART OF THE BUILDING EMS TO BE SET WITH A MINIMUM ON TIME OF 15 MINUTES	
** PROVIDE MOTION SENSOR SWITCHES IN AREAS WHERE THERE IS INTERMITTENT OCCUPANCY. EXAMPLES: BREAK ROOMS, CBT, CONFERENCE ROOMS, POS, ECR, FMTV, FILE MANAGEMENT, PRICE CHANGING, ETC.	

CEILING PLAN FINISH LEGEND

DECOR SERIES #300/700 (EXISTING NEIGHBORHOOD / NEW ARTISAN DECOR)	
KEY	DESCRIPTION
	EXISTING CEILING / AREAS TO REMAIN UNLESS NOTED OTHERWISE. REPLACE DAMAGED, MISSING & MISMATCHED TILES THROUGH OUT THE STORE AS REQD.
	EXISTING GRID/TILES. MODIFY / REPAIR GRID AS REQUIRED & REPLACE DAMAGED, MISSING & MISMATCHED TILES (TO MATCH EXISTING)
	NEW 2'x4' SUSPENDED CLG PANELS & GRID SYSTEM. USE CEILING TILE AC-701 (USG, RADAR CLIMA PLUS #2410, WHITE). NEW TILE / GRID TO MATCH EXISTING / ADJACENT CEILING WHERE INDICATED.



30 A13 PHARMACY REFLECTED CEILING PLAN SCALE: 1/4" = 1'-0"

Issued for: OWNER REVIEW 07/17/2023

PROPOSED MINOR STORE PHARMACY ALTERATION FOR:



STORE NO. D-715
1215 24TH STREET
PORT HURON, MI 48060

THE KROGER CO. OF MICHIGAN

jeffery a. scott
architects p.c.



32316 grand river ave. suite 200
farmington, michigan 48336-3261
(248) 478-8800 fax (248) 478-8833

RCP, HVAC AND LIGHTING PLANS


project no. sheet no.

23074.06

A1.3



- FOR REFERENCE ONLY -



BIDS AND PERMITS
OWNER REVIEW
07/31/2023
07/17/2023

Issued for:

**PROPOSED MINOR STORE
PHARMACY ALTERATION FOR:**

Kroger
FOR EVERYONE™

STORE NO. D-715
1215 24TH STREET
PORT HURON, MI 48060

THE KROGER CO. OF MICHIGAN

**jeffery a. scott
architects p.c.**

32316 grand river ave. suite 200
farmington, michigan 48336-3261
(248) 476-8800 fax (248) 476-8833


KROGER ASDs

project no. **23074.06**

sheet no. **A5.1**

PLOT FULL SIZE • 24"x36"

copyright © 2023



PARTITION TYPE NOTES: D-715

- SEE FINISH NOTES A11 FOR FINISHES AND ADDITIONAL INFORMATION.
- ALL FULL HEIGHT, FREE STANDING WALLS, WALLS WITH ITEMS RECESSED INTO THEM, AND WALLS WITH RECESSED ELECTRIC PANELS SHALL BE 6" MTL FRAMING. BALANCE OF METAL FRAMING SHALL BE 3-5/8" METAL FRAMING UNLESS INDICATED OTHERWISE.
 - WHEN ALIGNING WITH EXISTING WALL FURRING, WALL FURRING TO MATCH EXISTING.
- METAL FRAMING SHALL BE 24" ON CENTER (U.N.O) WITH HORIZONTAL BRACING PER MANUFACTURE SPECIFICATION.
- WALLS THAT RECEIVE FRP FINISH, THAT HAVE CEMENT BOARD SHEATHING, AND/OR THAT HAVE MOISTURE RESISTANT GYPSUM BOARD SHALL BE FRAMED AT 16" ON CENTER.
- DRYWALL SHALL BE AS INDICATED ON PARTITIONS UNLESS MATCHING AND ALIGNING WITH AN EXISTING WALL / WALL INFILL, THAN IT WILL MATCH EXISTING.
- FLOOR FINISH AND BASE: REFER TO FINISH NOTES.
- PROVIDE PROTECTIVE PANELING (WAINSCOT) WHERE INDICATED AS NEW. PROTECTIVE PANELING BE TO 3'-6" AFF. OR TO MATCH EXISTING. WALLS WITH WAINSCOT EXPOSED TO CART TRAFFIC TO TYPICALLY RECEIVE TWO BUMPER RAILS. CENTER OF BUMPERS TO BE AT 5" AFF & 1'-11" AFF.
- PROVIDE SLIP-TRACK/RECEIVER AT THE TOP OF ALL PARTITIONS SUBJECT TO STRUCTURAL DEFLECTION PER GYPSUM BOARD MANUFACTURES REQUIREMENTS. ADD FIRE BLOCKING BETWEEN TOP OF WALL AND DECK WHERE OPEN AREAS ARE TO BE SEPARATED FROM AREAS WITH CEILINGS. FILL ALL DECK VOIDS.


STORE NO. D-715; JOB NO. 23074.06													
DOOR SCHEDULE													
ROOM NAME	DOOR STATUS	DOOR NO.	DOOR OPENING SIZE	DOOR		FRAME					HARDWARE		NOTES
				TYPE	MAT'L	WALL WIDTH	TYPE	MAT'L	DETAILS THIS SHEET	L.B.L.	HARDWARE GROUP # SEE KROGER INSTALLATION SPECIFICATION FOR INDIVIDUAL COMPONENTS		
Rx COUNSEL	(NEW)	1	3'-0" x 7'-0"	A	HM	4 5/8"	1	HM	1	---	GROUP #010A		1
Rx COUNSEL	(NEW)	2	3'-0" x 7'-0"	A	HM	4 5/8"	1	HM	1	---	GROUP #010A, OMIT CLOSER		1
PHARMACY	(NEW)	3	3'-0" x 7'-0"	A	HM	7"	1	HM	1	---	GROUP #010A		1

NOTES

- PAINT NEW DOORS AND FRAMES. PAINT NEW DOORS PT-703, SW 7069 IRON ORE, PER ARTISAN DECOR. COORDINATE WITH KROGER PROJECT MANAGER.


GC TO PROVIDE HORIZONTAL LOUVER BLINDS ON INTERIOR SIDE OF DOOR PER SPECIFICATIONS

24x36 GLASS WINDOW




DOOR TYPES

NO SCALE



DOOR FRAME TYPES

NO SCALE



- NOTE:
- CLIP JAMB TO FLOOR
 - OMIT STOP AT CASED OPENINGS

1 JAMB (HEAD SIM.)
NO SCALE

DOOR FRAME DETAILS

SEE PARTITION TYPES FOR ADDITIONAL INFORMATION AND REQUIREMENTS.

SECTION 08 71 00 - DOOR HARDWARE					
3.2 HARDWARE SETS					
SET #010A					
Qty	Item	Model No.	Finish	Mfr	
3	Hinges	ECBB1100 4 1/2 x 4 1/2 NRP	US26D	HA	
1	Lockset	T581BD D	626	FL	
1	Construction Core	80-035	GRN	SC	
PERMANENT CORE BY KROGER					
1	Closer	1261 REG/PA	AL	LC	
1	Protection Plate	190S 8" x 34"	US32D	HA	
1	Wall Stop	236W	US32D	HA	
3	Door Silencer	307D	GREY	HA	
Note: The T581 Storeroom function lock requires key entry at all times from waiting area or sales area and can be opened by an employee from the inside. This provides security of the pharmacy by requiring a key.					

BIDS AND PERMITS
OWNER REVIEW
07/31/2023
07/17/2023

PROPOSED MINOR STORE PHARMACY ALTERATION FOR:



STORE NO. D-715
1215 24TH STREET
PORT HURON, MI 48060

THE KROGER CO. OF MICHIGAN

jeffery a.
scott
architects p.c.


32316 grand river ave. suite 200
farmington, michigan 48336-3261
(248) 476-8800 fax (248) 476-8833

DOOR DETAILS & PARTITION TYPES

project no. sheet no.

23074.06

A5.2



- FOR REFERENCE ONLY -

FIXTURE PLAN

FRESH FOR EVERYONE™
Kroger
GENERAL OFFICE
FACILITY ENGINEERING
104 WINE ST., CINCINNATI, OHIO 45202
FAX: (616) 762-4467
(616) 762-4467

MICHIGAN
(EXIST) NEIGHBORHOOD
40393 GRAND RIVER AVENUE
NOVI, MICHIGAN
(248) 957-2254
FAX (248)

GENERAL NOTES :

ALL EQUIPMENT IS TO BE CONSIDERED (EXISTING) UNLESS NOTED OTHERWISE. THE FULL EXTENT OF EXISTING, NEW, AND/OR RELOCATED EQUIPMENT SHALL BE CONSIDERED THE COMPLETE RESPONSIBILITY OF THE PROPOSER/OWNER.

INFORMATION FOR THIS PLAN WAS TAKEN FROM ARCHITECTURAL PLANS AND FIELD SURVEY. THE PROPOSER/OWNER MUST BE SURE THAT THE INFORMATION MUST BE FIELD VERIFIED FOR ACTUAL CONDITIONS. CONTACT THE ENGINEER IF ANY DISCREPANCIES ARE FOUND.

NOTE: THIS DRAWING IS INTENDED ONLY TO SHOW THE REQUIREMENTS OF THE PROPOSER FOR THE DESIGN OF THE BUILDING TO CONFORM TO ALL APPLICABLE LAWS, CODES, ORDINANCES, AND REGULATIONS. THE PROPOSER/OWNER SHALL BE RESPONSIBLE FOR THE DESIGN OF THE BUILDING TO CONFORM TO ALL APPLICABLE LAWS, CODES, ORDINANCES, AND REGULATIONS. THE ARCHITECTURAL FIRM SHALL BE RESPONSIBLE FOR THE DESIGN OF THE BUILDING TO CONFORM TO ALL APPLICABLE LAWS, CODES, ORDINANCES, AND REGULATIONS.

40393 GRAND RIVER AVENUE
NOVI , MICHIGAN

This file was Created on 4/24/2023 @ 1:49:25 PM

ADMINISTRATIVE

5	ASC-6	EXIST	6" CORK BULLETIN BOARD (OPEN)
1	AUAS	EXIST	ENTERPRISE SELF-CHECKOUT ATTENDANT STATION
1	E38AS	EXIST	POS EQUIPMENT FOR SCD ATTENDANT STATION
1	E38SS	EXIST	SCANNER/SCALE (NO DISPLAY)
5	E38TP	EXIST	THERMAL PRINTER (FOR CHECKSTANDS)
4	E38TS	EXIST	TOUCHSCREEN POS (FOR DEM MOUNT)
1	GE107	EXIST	BIOMETRIC READER FOR T&A
6	GE14	EXIST	OFFICE CHAIR
1	GE14	EXIST	OFFICE CHAIR
6	GE156	EXIST	EFT PIN PAD & CREDIT CARD READER
1	GE36-2	EXIST	FILE CABINET (2-DRAWER VERTICAL)
1	GE36-5	EXIST	FILE CABINET (5-DRAWER LATERAL)
1	GE36	EXIST	FILE CABINET (2-DRAWER LATERAL)
1	GE38S	EXIST	TOUCHSCREEN POS WITH STAND
11	GE38	EXIST	POS TERMINAL WITH CASH DRAWER
1	GE67	EXIST	MONEY ORDER MACHINE (VENDOR SUPPLY)
5	GE7	EXIST	DESK

ARCHIVE

6	ACRL4C-T	EXIST	TOSHIBA W/ 4 BAG CAROUSEL ON LEFT (DEACTIVATED)
1	ALUS3679-MP2	EXIST	ENTERPRISE MARKETPLACE V2 (36" FM-79" RM) (DEACTIVATED)
3	ALU4C	EXIST	USCAN GENESIS W/ 4 BAG CAROUSEL ON LEFT
3	ARU4C	EXIST	USCAN GENESIS W/ 4 BAG CAROUSEL ON RIGHT
1	B111-2	EXIST	2 DOOR DOUBLE RACK PROOFER
1	B22SD_CM	EXIST	BAKERY NESTING TABLE SET (COCOA MAPLE)
1	B22S	EXIST	BAKERY NESTING TABLES (SET OF 3)
1	BU5CS	EXIST	4' -9" UPRIGHT DONUT/PASTRY CASE W/DOORS (DEACTIVATED)
1	CKQJCS-24	EXIST	24" U-SCAN CASHIER STATION
1	D173	EXIST	SINGAL ROTISSERIE OVEN
1	D27	EXIST	3-ROLL WRAPPER (NO WINGS)
2	E22TV-42	EXIST	LCD WIDESCREEN (42") (DEACTIVATED)
1	E27	EXIST	PRICE CHECKER (MOUNT @ 48" AFF) (DEACTIVATED)
1	E9L	EXIST	EAS PEDESTALS (6" TO 9" OPENING)
6	GE102	EXIST	PC & MONITOR (DEACTIVATED)
1	GE102	RELD	PC & MONITOR (DEACTIVATED)
1	GE1061-CC	EXIST	POS SYSTEM CO-CONTROLLER (SARCOM)
1	GE121	EXIST	WESTERN UNION TERMINAL (VENDOR SUPPLY) (DEACTIVATED)
2	GE153	EXIST	FREESTANDING WORKSTATION
11	GE16	EXIST	FOLDING CHAIR
1	GE178BR	EXIST	DROP SAFE REAR CHUTE W/RIGHT HINGED DOOR
1	GE179	EXIST	COMPUTER BASED TRAINING TERMINAL
1	GE18R	EXIST	AUTOMATIC BALER RIGHT-HAND HINGED (208V)
1	GE1H	EXIST	FLY ZAPPER (PREP AREA HIDDEN FROM CUSTOMER VIEW)
5	GE1S	EXIST	SCIENCE FLY ZAPPER (AREAS IN CUSTOMER VIEW)
5	GE53	EXIST	ELECTRIC SERVICE ENTRANCE
1	GE54-10CM	EXIST	10" X 5" MEDIUM DUTY COMPENSATING HOOD
6	GE63C	EXIST	CORNER GUARD (ISLANDS)
1	GE65	EXIST	SAFE
3	GE74	EXIST	4" SHELV (CLNG CNTR)
1	GE78	EXIST	EQUIPMENT CHARGING STATION
21	GE88	EXIST	LOCKERS (6 TIER/LDOVERED DOORS)
1	GM3	EXIST	CIGARETTE CDRRAL (DEACTIVATED)
1	GM7B-4S	EXIST	4' BABY DEPARTMENT LIGHT VALANCE (STARTER)
8	GM7B-4	EXIST	4' BABY DEPARTMENT LIGHT VALANCE
1	GM85BV	EXIST	BEVERAGE ENDCAP CHECKSTAND MERCHANDISER
1	GM85LG	EXIST	LARGE TAIL CHECKSTAND MERCHANDISER
2	GM85SN	EXIST	SNACK ENDCAP CHECKSTAND MERCHANDISER
1	GM9E	EXIST	4" KPF GIFT CARD EXTENSION
1	GM9	EXIST	K, P, GIFT CARD ENDCAP (STANDARD) (KROGER SUPPLY)
6	GMKA	EXIST	TOSHIBA RIGHT 3 DR 4 BAG SCD SHELVING KIT (NO COOLER)
1	M12	EXIST	AUTOLABELER W/AUTOMATIC SCALE
2	M13	EXIST	ROTARY BIN FOR AUTOLABELER
2	M14A	EXIST	3-ROLL WRAPPER WITH 1 WING
1	M30	EXIST	SLICER TABLE
1	M31-10	EXIST	10" MEAT CONVEYOR
1	M36	EXIST	LABEL HOLDER (CLG)
1	M5	EXIST	MEAT CUTTING TABLE
6	PS3T	EXIST	ORCHARD BIN SIDE TABLE (UPSCALE) (DEACTIVATED)
35	PS3	EXIST	3' X 3' ORCHARD BIN (UPSCALE) (DEACTIVATED)
1	PL13E	EXIST	WATER HEATER (ELECTRIC)
1	PL14	EXIST	HEAT RECLAIM WATER TANK (AIR COOLED SYS.) (DEACTIVATED)
1	PL15	EXIST	SLOP SINK W/EYEWASH STATION
1	PL3	EXIST	3 COMPARTMENT SINK (18" DB)
1	PL6	EXIST	BAR SINK (BUILT-IN COUNTER)
2	PL8	EXIST	WALL MOUNTED DRINKING FOUNTAIN
1	PL9	EXIST	HAND SINK (PEDESTAL BASE)
3	PLHSP	EXIST	HAND SINK (PEDESTAL BASE)
5	PLTL	EXIST	TOILET
1	R12	EXIST	EASY-FILL PC WITH SOFTWARE
1	R14	EXIST	HEALTH RESOURCE COMPUTER
1	R75	EXIST	DDT MATRIX PRINTER
1	ST1-480S	EXIST	24V CHARGER (480V-1PH-260 AMPS PER HOUR)
1	B6DFZ12H	EXIST	12" SIX-DECK FROZEN BAKERY CASE
1	B6DFZLSEH	EXIST	SIX-DECK FROZEN BAKERY CASE LEFT SLAB END
1	B6DFZRSEH	EXIST	SIX-DECK FROZEN BAKERY CASE RIGHT SLAB END
4	BVSD12H	EXIST	12" FIVE-DECK BEVERAGE CASE (DEACTIVATED)
2	BVSD8H	EXIST	8" FIVE-DECK BEVERAGE CASE (DEACTIVATED)
1	BVSDRSMEH	EXIST	FIVE-DECK BEVERAGE RIGHT SLAB MIRROR END
1	D203SC3	EXIST	3 DOOR DELI STORAGE REFRIG (SELF-CONT.) (DEACTIVATED)
1	D204SC2	EXIST	2 DOOR DELI STORAGE FREEZER (SELF-CONT.) (DEACTIVATED)
6	DASD12H	EXIST	12" FIVE-DECK DAIRY CASE (DEACTIVATED)
1	DASD8H	EXIST	8" FIVE-DECK DAIRY CASE (DEACTIVATED)
1	DASDLCMEH	EXIST	FIVE-DECK DAIRY LEFT CONT. MIRRORED END
1	DASDNSC304B	EXIST	4' 5-DECK NARROW SELF CONT. DAIRY CASE (DEACTIVATED)
1	DASDRCMEH	EXIST	FIVE-DECK DAIRY RT CONT. MIRRORED END
1	DASDRSMEH	EXIST	FIVE-DECK DAIRY RIGHT SLAB MIRRORED END
2	DA1EH	EXIST	DAIRY ISLAND CASE END
2	DA1MT8H	EXIST	8' MEDIUM TEMP DAIRY ISLAND
1	DS12H	EXIST	12" SERVICE DELI CASE
1	DS1EH	EXIST	SERVICE DELI CASE LEFT END
1	DSREH	EXIST	SERVICE DELI CASE RIGHT PANEL END
1	FLPLE	EXIST	LDW PROFILE FLORAL CASE LEFT END (DEACTIVATED)
1	FLPLM4	EXIST	4' LDW PROFILE FLORAL CASE W/LEFT MITER
1	FLPRE	EXIST	8' LDW PROFILE FLORAL CASE RIGHT END (DEACTIVATED)
1	FLPRM8	EXIST	8' LDW PROFILE FLORAL CASE W/RIGHT MITER
1	FUL2	EXIST	12" UPRIGHT CUT FLORAL CASE
1	FULE	EXIST	UPRIGHT CUT FLORAL CASE LEFT END PANEL
1	FURE	EXIST	UPRIGHT CUT FLORAL CASE RIGHT END PANEL
6	GB5BSC	EXIST	CHECKSTAND REFRIGERATED MERCHANDISER (DEACTIVATED)
2	GE216B	EXIST	UPRIGHT REFRIGERATOR/FREEZER (DEACTIVATED)
2	GGDLT8H1	EXIST	8' INNOVATOR GLASS DOOR LDW TEMP GROCERY CASE
2	GGDREH	EXIST	GLASS DOOR GROCERY RIGHT END PANEL
4	MSD12H	EXIST	12" FIVE-DECK DELI MEAT CASE
1	MSDFR12H	EXIST	12" FIVE-DECK FRESH MEAT CASE
1	MSDFR8H	EXIST	8' FIVE-DECK FRESH MEAT CASE
1	MSDFRLCEH	EXIST	FIVE-DECK FRESH MEAT CASE LEFT CONTOURED END
1	MSDFRRCEH	EXIST	FIVE-DECK FRESH MEAT CASE RIGHT CONTOURED END
1	MSDLCEH	EXIST	FIVE-DECK DELI MEAT CASE LEFT CONTOURED END
1	MSDRCEH	EXIST	FIVE-DECK DELI MEAT CASE RIGHT CONTOURED END
3	P4D12H	EXIST	12" FOUR-DECK PRODUCE CASE
1	P4DBH	EXIST	8' FOUR-DECK PRODUCE CASE
1	P4DLSMEH	EXIST	FOUR-DECK LEFT SLAB MIRRORED END
1	P4DRSMEH	EXIST	FOUR-DECK RIGHT SLAB MIRRORED END
4	PSD12H	EXIST	12" FIVE-DECK PRODUCE CASE (DEACTIVATED)
1	PSDLSMEH	EXIST	FIVE-DECK PRODUCE LEFT SLAB MIRRORED END
3	PNSC6B	EXIST	6" MOBILE SELF-CONTAINED PRODUCE CASE
1	R37	EXIST	REFRIGERATOR (UNDER COUNTER) (DEACTIVATED)
2	SGDLEH	EXIST	GLASS DOOR SEAFOOD LEFT END PANEL
1	SGDLT10H1	EXIST	10' INNOVATOR GLASS DOOR LDW TEMP SEAFOOD CASE

BAKERY

2	B10BG	EXIST	GAS SINGLE RACK OVEN
1	B23D	EXIST	BAKERY TRASH CART
1	B234	EXIST	PRIMETIME DONUT RACK
1	B44T	EXIST	SERVICE SCALE/UPC PRINTER (TOLEDD)
1	B55	EXIST	BREAD SLICER
1	B99CDB	EXIST	CAKE IMAGING MACHINE
1	BULCECS	EXIST	BAKERY WALL CASE LEFT END
1	BURECS	EXIST	BAKERY WALL CASE RIGHT END
2	BGDN1C8H1	EXIST	8' NARROW GLASS DOOR ICE CREAM TEMP BAKERY (3 DOORS)
1	BGDNLEH1	EXIST	NARROW GLASS DOOR BAKERY LEFT END PANEL
1	BGDNREH1	EXIST	NARROW GLASS DOOR BAKERY RIGHT END PANEL

CONSTRUCTION

3	GE20P	EXIST	MECHANICAL DOCK LEVELER WITH DOOR PROTECTOR
2	GE244	EXIST	DOCK LIGHT (15W LED)
12	GE52	EXIST	SUB FEEDER ELECTRIC PANEL (CONTRACTOR SUPPLY)
25	GE64-6	EXIST	6" PROTECTIVE POST (BACKROOM) (CONTRACTOR SUPPLY)
11	GE98	EXIST	GUARDRAIL (HIGHWAY-TYPE)
1	PL13CE	EXIST	50 GAL. SUPPLEMENTAL WATER HEATER (ELECTRIC)
1	PL13DE	EXIST	SMALL SUPPLEMENTAL WATER HEATER (ELECTRIC)
1	PL13B	EXIST	1 BOWL COUNTERTOP SINK (CONTRACTOR SUPPLY)
1	PLSV	EXIST	SPRINKLER VALVE & RISER
1	PLUR	EXIST	ADA URINAL (CONTRACTOR SUPPLY)
9	GE117	EXIST	COMPRESSOR RACK (STACK-STYLE)
2	GE136V	EXIST	PROTDCKL COMPRESSOR (6-UNIT/VERTICAL)

DELI-CHEESE

1	D195-15	EXIST	PICKUP SOLID BACK HOT HOLDING CABINET
1	D20S	EXIST	DELI BUDDY SLICER STAND WITH SCALE SHELF
3	D23T	EXIST	SERVICE SCALE/UPC PRINTER (TOLEDD)
1	D257	EXIST	NEW STYLE CHICKEN BREADING TABLE
1	D259B	EXIST	COMPLETE CHICKEN TENDERS BREADING CART
1	D26	EXIST	MANUAL SLICER
1	D322V	EXIST	PRIVATE SELECTION RACK
3	D36	EXIST	DELI PREP MICROWAVE
2	D41	EXIST	CUSTOM MILLWORK COUNTER (CONTRACTOR SUPPLY)
1	D50DE	EXIST	EXPER DUAL RACK FRYER (208 VOLT) VERSION
1	D76	EXIST	SINGLE CONVECTION OVEN W/STAND
1	DHP-392	EXIST	RAD CHARGING STATION
1	TMFSR6BK	EXIST	6" HOT FOOD COMBO CASE (RIGHT) (BKI)
1	DMM4AM	EXIST	4" MOBILE HOT FOOD
1	DMDL12HC-2	EXIST	12' MDLP DELI1 ISLAND CASE (UNITIZED)
2	DMDL1EHC-2	EXIST	MDLP DELI1 ISLAND END CASE

DOORS

3	DR24L	EXIST	2'-0" LEFT HINGED DOOR
2	DR36CL	EXIST	36" LEFT HINGED COOLER DOOR (84"H)
1	DR36CR	EXIST	36" RIGHT HINGED COOLER DOOR (84"H)
3	DR36FS	EXIST	STRIP DOOR FOR 36" FREEZER DOOR (7' H)
3	DR36L	EXIST	3'-0" LEFT HINGED DOOR (DIRECT BUY)
6	DR36R	EXIST	3'-0" RIGHT HINGED DOOR (DIRECT BUY)
3	DR36R	NEW	3'-0" RIGHT HINGED DOOR (DIRECT BUY)
1	DR36SD	EXIST	3' X 7' DOUBLE ACTION SINGLE PLASTIC DOOR
2	DR42R	EXIST	3'-6" RIGHT HINGED DOOR (DIRECT BUY)
1	DR54DD	EXIST	4'-6" X 7' DOUBLE ACTION DOUBLE PLASTIC DOOR
3	DR60CL	EXIST	60" LEFT HINGED COOLER DOOR (96"H)
3	DR60CR	EXIST	60" RIGHT HINGED COOLER DOOR (96"H)
2	DR60DD	EXIST	5' X 7' DOUBLE ACTION DOUBLE PLASTIC DOOR
6	DR60SD	EXIST	STRIP DOOR FOR 60" FREEZER DOOR (8' H)
1	DR6X8DD	EXIST	6' X 8' DOUBLE ACTION DOUBLE PLASTIC DOOR
1	DR72BP	EXIST	EXTERIOR SLIDER AUTO ENTRANCE DOOR UNIT
2	DR72BP1	EXIST	(INT)14" BI-PARTING SLIDER AUTO ENTRANCE DOOR UNIT
1	DR7X8DD	EXIST	7' X 8' DOUBLE ACTION DOUBLE PLASTIC DOOR

DRUG-GM

1	GM22V-2	EXIST	BATTERY ENDCAP WITH LIGHTED VALANCE (VENDOR SUPPLY)
1	GM23V	EXIST	PROPANE TANK CAGE (VENDOR SUPPLY)
5	GM25C	NEW	SAD1CBAG RACK (SET OF 2)
1	GM28V-5	EXIST	RUG DOCTOR 5 UNIT DISPLAY (VENDOR SUPPLY)
1	GM8K	EXIST	KPF PREPAID WIRELESS KIOSK
1	GM8R	EXIST	MOBILE PHONE RECYCLING ATM

ELECTRONICS

2	CN3	EXIST	FAN/COIL AC UNIT FOR ECR ROOM (3 TON)
4	E102	EXIST	THINCLIENT & MONITOR
2	E12C	EXIST	LASER PRINTER (GENERAL USE)
2	E151-DSO	EXIST	IDF RACK/48 PORT PATCH PANEL KIT (DSO)
1	E15MK	EXIST	(2) 2-POST RACK/48 PORT PATCH PANEL MDF BASE KIT
1	E15MR	EXIST	4-POST MDF RACK
1	E19BE	EXIST	EXTERIOR REDBOX DVD RENTAL KIOSK (VENDOR SUPPLY)
1	E22TV-47	EXIST	LCD WIDESCREEN (47")
2	E47	EXIST	LABLE PRINTER
2	E6	EXIST	MFP (FAX PRINTER COPIER SCANNER)
1	E7MFD	EXIST	COPY PRINT SCAN MFD

FLORAL

1	F41	EXIST	CUSTOM MILLWORK COUNTER (CONTRACTOR SUPPLY)
1	F42	EXIST	BOQUET BAG STAND
3	F46	EXIST	NESTING TABLE SET
2	F9	EXIST	HELIUM TANK (VENDOR SUPPLY)

GENERAL

1	FM	EXIST	FULL LENGTH MIRROR (CONTRACTOR SUPPLY)
4	GE11	EXIST	RECEIVING DESK WALL
1	GE15S	EXIST	COIN COUNTER (VENDOR SUPPLY)
1	GE183	EXIST	SANITIZER AND HOSE CABINET
1	GE197	EXIST	OUTDOOR TRASH CONTAINER
1	GE198	EXIST	4FT WOOD SLAT BENCH
1	GE1	EXIST	FLY ZAPPER (DOCKY BACKROOM HALLWAY)
4	GE20SBHC	EXIST	RECYCLE BIN HOUSING UNIT (CENTER)
2	GE20SBHR	EXIST	RECYCLE BIN HOUSING UNIT (RIGHT)
6	GE20SBL	EXIST	LARGE RECYCLE BIN (VENDOR SUPPLY)
1	GE20SFG	EXIST	GLASS RECYCLE MACHINE (FRONT LOAD)
1	GE20SRP	EXIST	CANS AND PLASTIC RECYCLE MACHINE (REAR LOAD)
1	GE235-2	EXIST	2 LEVER SPRAY DOWN PROPORTIONER (VENDOR SUPPLY)
4	GE235-3	EXIST	3 LEVER SPRAY DOWN PROPORTIONER (VENDOR SUPPLY)
3	GE236-2C	EXIST	2 BUTTON PROPORTIONER FOR 3-COMP SINK (VENDOR SUPPLY)
1	GE236S	EXIST	SMALL 1 BUTTON PROPORTIONER (VENDOR SUPPLY)
1	GE246	EXIST	BAG RECYCLE BIN (KROGER SUPPLY)
1	GE249	EXIST	CANDY/STICKER RACK (VENDOR SUPPLY)
2	GE251-18	EXIST	18" MOP & BROOM HOLDER (PREP AREAS)
1	GE2C	EXIST	INSTANT LOTTERY TICKET VENDING MACHINE
1	GE301	EXIST	RESTROOM CLEANER
1	GE302	EXIST	COOLER CASE CLEANER
4	GE41	EXIST	CUSTOM MILLWORK COUNTER (CONTRACTOR SUPPLY)
2	GE44A	EXIST	BABY CHANGING STATION
1	GE4S	EXIST	SMART SAFE TR-400
8	GE63C-24	EXIST	PROTECTIVE CHROME CORNER GUARD
8	GE63CS	EXIST	SMALL CORNER GUARD (ENDCAPS)
1	GE6B	EXIST	REMOVABLE PROTECTIVE POST (SALES AREA)
1	GE6B1B	EXIST	STORAGE CABINET
4	GE84	EXIST	ELECTRONIC SHOPPING CART (REAR DRIVE)
4	HDR2	EXIST	DYSON HAND DRYER
1	HDR	EXIST	SANITARY NAPKIN DISPOSAL RECEPTACLE
3	PM	EXIST	MECHANICAL PAPER TOWEL DISPENSER (KROGER SUPPLY)
6	SD	EXIST	SOAP DISPENSER (KROGER SUPPLY)
5	TP	EXIST	TOILET PAPER DISPENSER (KROGER SUPPLY)

GROCERY

2	G1-9648	EXIST	SALES AREA 96" PALLET RACK SECTION (48"D X 72"H)
1	G109M-48	EXIST	TORITLW END CAP
18	G2-1846	EXIST	DUMP BIN 3 TIER BLACK (18" DIA 45" H)
4	G2-3638V	EXIST	36" X 36" FRITO-LAY DUMP BIN (VENDOR SUPPLIED)
6	G49-3	EXIST	3' UNIVERSAL END DISPLAY (18"D)
2	G49-4	EXIST	4' UNIVERSAL END DISPLAY (18"D)
17	G50-4	EXIST	5' UNIVERSAL END DISPLAY (24"D)
2	G96-C4	EXIST	COMMERCIAL BAKERY 4 WAY UPRIGHT DISPLAY
1	G80SC-100	EXIST	100 CU. FT. INDOOR ICE MERCH. (S.C.) (VENDOR SUPPLY)
2	GGDN1C10H1	EXIST	10' NARROW GLASS DOOR ICE CREAM TEMP GROCERY (4 DOORS)
2	GGDN1C12H1	EXIST	12' NARROW GLASS DOOR ICE CREAM TEMP GROCERY (5 DOORS)
2	GGDN1C6PH1	EXIST	6' NARROW GLASS DOOR GROCERY PRMD (2 DOORS)
1	GGDN1C8H1	EXIST	8' NARROW GLASS DOOR ICE CREAM TEMP GROCERY (3 DOORS)
2	GGDN1C8PH1	EXIST	8' NARROW GLASS DOOR GROCERY PRMD (3 DOORS)
4	GGDN1LEH1	EXIST	NARROW GLASS DOOR GROCERY LEFT END PANEL
12	GGDN1L12H1	EXIST	12' NARROW GLASS DOOR LDW TEMP GROCERY (5 DOORS)
6	GGDN1L8H1	EXIST	8' NARROW GLASS DOOR LDW TEMP GROCERY (3 DOORS)
4	GGDNREH1	EXIST	NARROW GLASS DOOR GROCERY RIGHT END PANEL

MEAT

1	M10	EXIST	MEAT SAW
1	M11T	EXIST	SERVICE SCALE/UPC PRINTER (TOLEDD)
1	M15A	EXIST	BELT SEALER (HEAT SEAL)
3	M46S	EXIST	MEAT ISLAND SHELVING DISPLAY
6	M46	EXIST	HALF ROUND WIRE BIN MERCHANDISER
1	MR4D	EXIST	RAD CHARGING STATION
4	M1D3C4HP	EXIST	4' X4" (SELF-CONT) REFRIGERATED MOBILE MERCHANDISER
1	MW1DT12HX	EXIST	12" DUAL TEMP WIDE ISLAND MEAT
1	MW1DT8HX	EXIST	8" DUAL TEMP WIDE ISLAND MEAT
4	MW1DTEHX	EXIST	DUAL TEMP WIDE ISLAND MEAT END CASE
2	MW1TKDT	EXIST	WIDE ISLAND MEAT TOP PIPE KIT

PHARMACY

5	R1-161E	EXIST	16" ISLAND SHELF END PANEL
20	R1-161	EXIST	16" ISLAND SHELF
2	R1-16WE	EXIST	16" WALL SHELF END PANEL
37	R1-16W	EXIST	16" WALL SHELF
1	R11	EXIST	DRIVE-THRU PHARMACY WINDOW
1	R27-4	EXIST	4' PHARMACY WALL CABINET W/ DOORS
3	R29S	EXIST	OPEN CABINET W/ HEAVY DUTY SLIDE-OUT

