



KEYED NOTES	
PS1	CONNECT NEW WASTE PIPING TO EXISTING. FIELD VERIFY EXISTING SIZE, SYSTEM TYPE, DIRECTION OF FLOW, INVERT ELEVATION, AND LOCATION PRIOR TO BID. IF CONDITIONS IN FIELD DIFFER THAN SHOWN, CONTACT ENGINEER IMMEDIATELY.
PS2	CONNECT NEW VENT PIPING TO EXISTING. FIELD VERIFY EXISTING SIZE, SYSTEM TYPE, DIRECTION OF FLOW, AND LOCATION PRIOR TO BID. IF CONDITIONS IN FIELD DIFFER THAN SHOWN, CONTACT ENGINEER IMMEDIATELY.
PS3	EXISTING HUB DRAIN TO BE REUSED FOR NEW CASE. TIE NEW CONDENSATE LINE TO EXISTING DRAIN. MODIFY OR PROVIDE NEW AS REQUIRED. REFER TO DETAILS PSD-1 AND PSD-1 ON DETAIL SHEET(S).
PS4	REPLACE EXISTING PLUMBING FIXTURES WITH NEW FIXTURES PER SCHEDULES AND SPECIFICATIONS. EXTEND AND CONNECT EXISTING WASTE AND VENT TO FIXTURE.
PS5	CAP PIPING. REFER TO DETAIL B ON SHEET PS-1, (TYPICAL)
PS6	CONNECT CASE DRAINS FROM TWO (2) CASES INTO SINGLE INDIRECT WASTE DRAIN AND ROUTE TO NEAREST HUB DRAIN ABOVE SLAB. SLOPE DRAIN PIPING TOWARDS HUB DRAIN AS MUCH AS POSSIBLE. REFER TO DETAILS PSD-1 AND PSD-1 ON DETAIL SHEET(S) FOR INSTALLATION.
PW1	CONNECT NEW WATER PIPING TO EXISTING. FIELD VERIFY EXISTING LOCATION, SIZE, SYSTEM TYPE, AND PRESSURE PRIOR TO MAKING CONNECTION. IF CONDITIONS DIFFER FROM WHAT IS SHOWN ON PLAN, CONTACT ENGINEER IMMEDIATELY.
PW2	REPLACE EXISTING PLUMBING FIXTURES WITH NEW FIXTURES PER SCHEDULES AND SPECIFICATIONS. EXTEND AND CONNECT EXISTING WATER PIPING TO NEW FIXTURE.



KOHRIS LONNEMANN HEIL ENGINEERS, INC.
MECHANICAL/ELECTRICAL ENGINEERS
WWW.KLHENGRS.COM
1538 ALEXANDRIA PIKE, SUITE 111
FT. THOMAS, KENTUCKY 41075
800-354-9783
859-442-8690
859-442-8658 FAX
LEXINGTON, KENTUCKY
LOUISVILLE, KENTUCKY
COLUMBUS, OHIO

OWNERSHIP OF INSTRUMENTS OF SERVICE
All reports, plans, specifications, computer files, field data, notes and other documents and instruments prepared by the Consultant as instruments of service shall remain the property of the Consultant. The Consultant shall retain all common law, statutory and other reserved rights, including, without limitation, the copyright therein.

#	Date	Change Description

KROGER N856

126 W HIGH ST
FOSTORIA, OH 44330
for
THE KROGER COMPANY

MOODY•NOLAN

300 Spruce Street
Suite 300
Columbus, Ohio 43215

Phone: (614) 461-4664
Fax: (614) 290-8881
www.moody-nolan.com

Dwg. Coord.: RTW	Tech. Coord.: KSL	Proj #: 25778.00
------------------	-------------------	------------------

PLUMBING PLAN	P1.1
95% OWNER REVIEW	10/27/2023